



Engraved by F. Santom.

William Curtis.

Author of the

FLORA LONDINENSIS, BOTANICAL MAGAZINE &c.

GENERAL INDEXES

TO THE

PLANTS

CONTAINED IN

THE FIRST TWENTY VOLUMES

OF THE

BOTANICAL MAGAZINE,

COMPREHENDING

1. An Alphabetical Latin INDEX.
 2. An Alphabetical English INDEX.
 3. An ENUMERATION of the Plants figured in
the Order of Publication with Corrections
and additional Remarks.
 4. A SYSTEMATIC ARRANGEMENT.
-

L O N D O N :

Printed by STEPHEN COUCHMAN, Throgmorton-Street,
For the PROPRIETORS, and Sold at No. 3, St. GEORGE'S-CRESCENT,
near the Obelisk, *St. George's-Fields* :

Also, by all Booksellers, Stationers, and News-Carriers,
in Town and Country.



ADVERTISEMENT.

THE purchasers of the BOTANICAL MAGAZINE have indeed some right to complain of the length of time that has intervened between the completion of the twentieth volume and the publication of these Indexes. Many circumstances have combined to occasion this delay, but the principal cause has been an intention on the part of the Editor to have given a review of the whole work, with a critical examination of what has been said on the same plants in the foreign publications which have either appeared since or had not fallen under his or his predecessor's notice, soon enough to be considered at the time their account of the different plants was written; his avocations have not however allowed him the leisure necessary to the completion of such a design, and it has been at last reluctantly relinquished. In the Enumeration indeed will be found some additions made to several of the articles and some corrections of errors and changes of the names, which the advancement of science appeared to render necessary; the perusal of this part will shew in some measure what was wished to have been done, and as the Editor may at a future time reassume his former intentions, he will be greatly obliged to his Botanical readers for their remarks and criticisms upon any of the articles that have been already or shall hereafter be published.

Possessors of rare or curious plants, which they may be desirous of seeing figured in the Botanical Magazine, may generally have their wishes gratified, if such plants are sent when coming into flower (or good specimens in a state fit for drawing) to Dr. SIMS, 67, *Upper Guilford-Street*, free of Expence. When drawn and described, the plants will be returned to the owner's order, and if necessary will be in the mean time preserved in a stove.

 In the Latin Index, the names printed in Italics are Synonyms.



I N D E X.

卷之三

In which the *Latin Names* of the Plants contained in the first
Twenty Volumes of the BOTANICAL MAGAZINE are alpha-
betically arranged.

Vol.	Page		Vol.	Page	
14	498	A CHILLEA tomentosa.	7	239	Amatyllis Atamasco.
4	134	Adonis vernalis.	12	409	———— aurea.
20	775	———— vesicatoria.	19	733	———— Belladonna.
16	554	Agapanthus ensifolius.	—	725	———— curvifolia.
14	500	———— umbellatus.	9	305	———— equestris.
9	295	Agrostemma Cœli Rosa.	19	725	———— Fothergilla.
3	24	———— coronaria.	2	47	———— formosissima.
12	398	———— Flos Jovis.	19	726	———— humilis.
5	173	Aitonia capensis.	18	661	———— longifolia.
19	720	Albuca minor.	9	290	———— lutea.
—	720	———— lutea.	13	453	———— Reginæ.
14	501	Aletris capensis.	18	657	———— reticulata.
20	764	———— pumila.	9	294	———— sarniensis.
—	744	———— sarmentosa.	4	129	———— vittata.
—	758	———— Uvaria.	11	369	———— undulata.
10	338	Allamanda cathartica.	5	161	Amygdalus nana.
20	774	Allium ciliatum.	9	319	Anagallis Monelli.
7	251	———— descendens.	20	775	Anamenia laserpitiifolia.
14	499	———— Moly.	18	667	Andromeda caerulea. B.
20	756	Alöe arachnoides.	—	667	———— ovata.
13	457	———— disticha.	—	667	———— pulverulenta.
20	757	———— humilis.	15	515	Anchusa orientalis.
—	765	———— maculata.	20	743	Androsace villosa.
—	765	———— obliqua.	1	10	Anemone Hepatica.
14	472	———— perfoliata.	4	123	———— hortensis.
13	457	———— plicatilis.	2	54	———— sylvestris.
—	455	———— retusa.	17	605	Anomatheca juncea.
15	513	———— variegata.	13	462	Anthemis Pyrethrum.
19	738	———— Uvaria.	9	318	Anthericum Liliastrum.
4	125	Alstroemeria Ligula.	16	561	Antholyza æthiopica.
—	139	———— Pelegrina.	15	533	———— aletroides.
—	126	Alyssum deltoideum.	10	343	———— Cunonia.
3	101	———— balimifolium.	12	418	———— Meriana.
—	101	———— maritimum.	13	441	———— Merianella.
12	419	———— montanum.	16	567	———— quadrangularis.
5	159	———— saxatile.	17	601	———— spicata.
4	130	———— utriculatum.	18	676	Anthyllis Erinacea.

I N D E X.

<i>Vol.</i>	<i>Page</i>		<i>Vol.</i>	<i>Page</i>
3	108	<i>A</i> ——— <i>tetraphylla</i> .	10	348 <i>Calceolaria Fothergillii</i> .
6	207	<i>Antirrhinum alpinum</i> .	2	41 ——— <i>pinnata</i> .
11	368	——— <i>birtum</i> .	12	408 <i>Calendula Tragus</i> .
3	99	——— <i>purpureum</i> .	14	503 <i>Calycanthus floridus</i> .
6	200	——— <i>sparteum</i> .	13	466 ——— <i>præcox</i> .
15	525	——— <i>triornithophor</i> ^m .	2	42 <i>Camellia Japonica</i> .
9	324	——— <i>triphyllum</i> .	16	551 <i>Campanula azurea</i> .
3	74	——— <i>triste</i> .	20	782 ——— <i>capensis</i> .
11	368	——— <i>viscosum</i> .	13	444 ——— <i>canariensis</i> .
8	280	<i>Apocynum androsæmifolium</i> .	4	117 ——— <i>carpatica</i> .
7	246	<i>Aquilegia canadensis</i> .	19	691 ——— <i>gracilis</i> .
—	226	<i>Arabis alpina</i> .	7	252 ——— <i>grandiflora</i> .
15	544	<i>Arctotis anthemoides</i> .	12	404 ——— <i>mollis</i> .
7	243	<i>Argemone mexicana</i> .	—	397 ——— <i>perficifolia, var.</i> maxima.
17	605	<i>Aristea capitata</i> .	19	691 ——— <i>polymorpha, d.</i>
13	458	——— <i>cyanea</i> .	15	512 ——— <i>pumila</i> .
15	520	——— <i>spiralis</i> .	—	512 ——— <i>pusilla?</i>
—	534	<i>Aristolochia Spho</i> .	—	512 ——— <i>rotundifolia, B.</i>
10	339	<i>Arum trilobatum</i> .	18	659 ——— <i>sibirica</i> .
—	344	<i>Aspalathus pedunculata</i> .	3	102 ——— <i>speculum</i> .
15	515	<i>Asperugo divaricata</i> .	19	691 ——— <i>vincæflora</i> .
20	773	<i>Asphodelus luteus</i> .	13	444 <i>Canarina Campanula</i> .
6	199	<i>Aster alpinus</i> .	—	454 <i>Canna indica</i> .
1	33	——— <i>tenellus</i> .	9	291 <i>Capparis spinosa</i> .
11	375	<i>Astragalus monspessulanus</i> .	13	452 <i>Cardamine trifolia</i> .
15	530	<i>Attragene alpina, v. austriaca</i> .	3	107 <i>Cassia chamæcrista</i> .
19	716	——— <i>capensis</i> .	17	633 ——— <i>corymbosa</i> .
5	180	<i>Azalea nudiflora, v. coccinea</i> .	9	293 <i>Catananche cærulea</i> .
13	433	——— <i>pontica</i> .	4	131 <i>Catesbea spinosa</i> .
17	626	<i>Babiana disticha</i> .	6	210 <i>Celsia linearis est Hemimeris</i> .
16	576	——— <i>plicata</i> .	12	417 ——— <i>urticæfolia est Hemim</i> •
12	410	——— <i>rubro-cyanea</i> .	—	421 <i>Centaurea aurea</i> .
17	638	——— <i>spathacea</i> .	2	62 ——— <i>glaſtifolia</i> .
—	637	——— <i>stricta, v. α.</i>	3	77 ——— <i>montana</i> .
—	621	——— <i>stricta, v. β.</i>	14	494 ——— <i>ragusina</i> .
18	680	——— <i>tubiflora</i> .	19	737 <i>Cerbera ahovai</i> .
16	583	——— <i>villoſa</i> .	1	17 <i>Cereus flagelliformis</i> .
19	738	<i>Bankfia ericæfolia</i> .	10	333 <i>Cerinthe major</i> .
—	715	<i>Bauera rubioides</i> .	—	333 ——— <i>glaber</i> .
7	228	<i>Bellis perennis, v. fl. pleno</i> .	5	166 <i>Cheiranthus maritimus</i> .
19	700	<i>Betonica grandiflora</i> .	6	195 ——— <i>mutabilis</i> .
14	485	<i>Bignonia radicans</i> .	19	729 ——— <i>tristis</i> .
13	451	<i>Blakea trinervia</i> .	7	233 <i>Chironia baccifera</i> .
20	754	<i>Blandfordia cordata</i> .	19	707 ——— <i>decussata</i> .
8	276	<i>Blitum virgatum</i> .	2	37 ——— <i>frutescens</i> .
—	274	<i>Borbonia crenata</i> .	19	707 ——— <i>latifolia</i> .
14	482	——— <i>cordata</i> .	15	511 ——— <i>linoides</i> .
10	357	<i>Briza maxima</i> .	10	327 <i>Chrysanthemum indicum</i> .
1	34	<i>Browallia elata</i> .	15	508 ——— <i>tricolor</i> .
11	393	<i>Brunsfelsia americana</i> .	7	249 <i>Cineraria amelloides</i> .
7	217	<i>Buchnera canadensis</i> .	12	406 ——— <i>cruenta</i> .
—	217	——— <i>viscosa</i> .	2	53 ——— <i>lanata</i> .
5	174	<i>Buddleia globosa</i> .	18	646 <i>Cipura paludosa</i> .
—	153	<i>Bulbocodium vernum</i> .	17	627 <i>Cistus algarvensis</i> .
16	564	<i>Cacalia coccinea</i> .	8	264 ——— <i>formosus</i> .
1	17	<i>Cactus flagelliformis</i> .		

INDEX.

3

Fol.	Page		Vol.	Page	
2	43	C — incanus.	2	39	D — Caryophyllus, var.
4	112	— ladaniferus.			Franklin's Fector.
2	65	Clematis integrifolia.	1	25	— chinensis.
16	565	— Viticella.	9	297	— superbus.
3	101	Clypeola maritima.	13	449	Dillenia indica.
—	81	Colutea arborescens.	—	449	— speciosa.
6	181	— frutescens.	20	785	Dionaea Muscipula.
15	510	Convallaria bifolia.	13	456	Diosma ferratifolia.
10	359	Convolvulus althæoides.	8	273	— uniflora.
19	699	— cairicus.	7	218	Disandra prostrata.
13	459	— Cneorum.	1	12	Dodecatheon Meadia.
9	289	— linearis.	11	380	Dolichos lignosus.
6	188	— Nil.	5	170	Draba aizoides.
4	113	— purpureus.	19	713	— pyrenaica.
19	732	— iepium, var. β. americanus.	6	214	Dracocephalum denticulatum
1	27	— tricolor.	13	467	— virginianum.
5	156	Coreopsis verticillata.	11	387	Epidendrum aloides.
15	526	Cornus florida.	20	777	— carthaginense ?
13	445	Coronilla Emerus.	13	463	— ciliare.
1	13	— glauca.	16	572	— cochleatum.
6	185	— valentina.	15	543	— cucullatum.
8	258	— varia.	17	611	— elongatum.
9	321	Cotyledon orbiculata.	5	152	— fragrans.
14	495	Crassula coccinea.	20	777	— undulatum.
11	384	— Cotyledon.	3	76	Epilobium angustissimum.
16	596	Cratæva capparoides.	13	440	Erica albens.
—	596	— fragrans.	9	393	— ampullacea.
—	596	— moschata.	12	429	— aitonii.
1	35	Crepis barbata.	—	423	— articularis.
14	500	Crinum africanum.	10	358	— baccans.
18	661	— longifolium.	1	11	— carneae.
2	45	Crocus mæsiacus.	14	484	— ciliaris.
18	652	— susianus.	7	220	— cerinthoides.
2	45	— vernus.	13	447	— empetrifolia.
14	490	Crotalaria juncea.	16	580	— glauca.
—	482	— triflora.	6	189	— grandiflora.
16	568	Cyanella capensis.	1	11	— herbacea.
1	4	Cyclamen coum.	14	481	— hirtiflora.
2	44	— persicum.	19	706	— longifolia, var. carneae.
1	7	Cynoglossum Omphalodes	10	356	— Matoni.
6	192	Cypripedium acaule.	14	471	— mediterranea.
—	216	— album.	17	612	— metulæflora.
11	374	Cyrilla pulchella.	10	342	— persoluta.
8	271	Cyrtanthus angustifolius.	13	443	— physodes.
12	426	Cytisus foliolosus.	14	480	— pubescens.
5	176	— Laburnum.	11	366	— pyramidalis.
8	255	— sessilifolius.	—	362	— retorta.
20	762	Dahlia coccinea.	10	342	— subdivaricata.
5	147	Dais cotinifolia.	—	350	— ventricosa.
—	147	— laurifolia.	12	402	— vestita, var. coccinea.
9	313	Daphne Cneorum.	9	310	Erinus alpinus.
12	428	— collina.	1	18	Erodium chamædrioides.
15	505	Dianella cærulea.	8	261	— incarnatum.
6	207	Dianthus barbatus.	11	377	— romanum.

INDEX.

Vol.	Page
14	473 <i>Eugenia uniflora.</i>
19	709 <i>Fabricia ferrata.</i>
18	662 —— <i>stellata.</i>
19	711 —— <i>villosa.</i>
7	241 <i>Fagonia cretica.</i>
20	751 <i>Ferraria antherosa.</i>
18	646 —— <i>elegans.</i>
15	532 —— <i>Pavonia.</i>
—	532 —— <i>Tigridia.</i>
20	751 —— <i>viridis.</i>
4	144 —— <i>undulata.</i>
2	63 <i>Fragaria monophylla.</i>
6	194 <i>Fritillaria Imperialis.</i>
18	664 —— <i>pyrenaica.</i>
3	97 <i>Fuchsia coccinea.</i>
2	32 <i>Fumaria bulbosa.</i>
7	232 —— <i>cava.</i>
5	179 —— <i>glauca.</i>
7	231 —— <i>solida.</i>
5	179 —— <i>semperflorens.</i>
20	754 <i>Galax aphylla.</i>
—	783 <i>Garcinia cochinchinensis.</i>
18	690 <i>Gardenia Rothmannia.</i>
9	389 <i>Gaura biennis.</i>
8	388 —— <i>mutabilis.</i>
16	584 <i>Geissorhiza excisa.</i>
18	672 —— <i>obtusata.</i>
17	598 —— <i>rochensis.</i>
—	597 —— <i>secunda.</i>
13	442 <i>Genista linifolia.</i>
9	314 —— <i>triquetra.</i>
2	52 <i>Gentiana acaulis.</i>
19	705 —— <i>adscendens, v. α.</i>
—	723 —— <i>v. β.</i>
17	639 —— <i>ciliata.</i>
19	705 —— <i>decumbens.</i>
14	491 —— <i>verna.</i>
6	206 <i>Geranium anemonifolium.</i>
—	203 —— <i>angulatum.</i>
14	504 —— <i>argenteum.</i>
2	55 —— <i>striatum.</i>
3	103 —— <i>acetosum.</i>
5	148 —— <i>betulinum.</i>
6	201 —— <i>bicolor.</i>
9	315 —— <i>ceratophyllum.</i>
5	165 —— <i>cordifolium.</i>
14	477 —— <i>crafficale.</i>
9	309 —— <i>echinatum.</i>
4	143 —— <i>glutinosum.</i>
8	261 —— <i>incarnatum.</i>
20	761 —— <i>incrassatum.</i>
2	56 —— <i>lanceolatum.</i>
1	20 —— <i>peltatum.</i>
16	579 —— <i>pinnatum.</i>
15	547 —— <i>præmorsum.</i>
—	524 —— <i>pulchellum.</i>

Vol.	Page
15	547 <i>G —— quinatum.</i>
3	95 —— <i>Radula.</i>
1	18 —— <i>Reichardii.</i>
18	493 —— <i>reniforme.</i>
3	95 —— <i>revolutum.</i>
11	377 —— <i>romanum.</i>
12	413 —— <i>ternatum.</i>
4	136 —— <i>tetragonum.</i>
15	518 —— <i>tomentosum.</i>
7	240 —— <i>tricolor.</i>
4	143 —— <i>viscosum.</i>
14	479 <i>Geropogon glabrum.</i>
16	586 <i>Gladiolus alatus.</i>
17	602 —— <i>angustus.</i>
—	625 —— <i>blandus, v. α.</i>
18	648 —— <i>v. β.</i>
—	645 —— <i>v. γ.</i>
4	135 —— <i>cardinalis.</i>
16	591 —— <i>carneus.</i>
—	578 —— <i>carinatus.</i>
3	86 —— <i>communis.</i>
10	343 —— <i>Cunonia.</i>
16	582 —— <i>cuspidatus.</i>
17	610 —— <i>floribundus.</i>
16	562 —— <i>gracilis.</i>
—	574 —— <i>hirsutus.</i>
19	727 —— <i>β.</i>
17	632 —— <i>Milleri.</i>
16	592 —— <i>namaquensis.</i>
—	567 —— <i>quadrangularis.</i>
—	578 —— <i>recurvus.</i>
19	719 —— <i>segetum.</i>
8	272 —— <i>trifitis.</i>
18	647 —— <i>undulatus, v. α.</i>
15	538 —— <i>undulatus, v. β.</i>
16	556 —— <i>verficolor.</i>
18	688 —— <i>viperatus.</i>
13	450 —— <i>Watsonius, v. α.</i>
16	569 —— <i>Watsonius, v. β.</i>
—	567 —— <i>abbreviatus.</i>
17	625 —— <i>albidus.</i>
16	553 —— <i>alopecuroides.</i>
17	606 —— <i>amabilis.</i>
15	538 —— <i>angustus.</i>
—	548 —— <i>bicolor.</i>
19	727 —— <i>brevifolius.</i>
18	678 —— <i>crispus.</i>
15	528 —— <i>fistulosus.</i>
16	576 —— <i>fragrans.</i>
—	592 —— <i>galeatus.</i>
17	615 —— <i>gramineus.</i>
—	600 —— <i>iridifolius.</i>
—	606 —— <i>junceus.</i>
—	631 —— <i>laccatus.</i>
14	487 —— <i>lineatus.</i>

INDEX.

5

<i>Vol.</i>	<i>Page</i>	
8	256	{ <i>G</i> — <i>longiflorus</i> .
18	680	
17	600	{ — <i>marginatus</i> .
—	608	
15	533	— <i>merianus</i> .
16	578	— <i>odorus</i> .
18	688	— <i>orchidiflorus</i> .
17	621	{ —
—	626	{ — <i>plicatus</i> .
16	576	
—	583	
17	606	— <i>polyftackius</i> .
13	450	— <i>præcox</i> .
16	578	— <i>punctatus</i> .
—	578	— <i>ringens</i> .
—	587	— <i>rofes-albus</i> .
11	383	— <i>securiger</i> .
17	638	— <i>spathaceus</i> .
19	719	— <i>spicatus</i> .
17	621	— <i>striatus</i> .
18	680	— <i>tubatus</i> .
—	680	— <i>tubiflorus</i> .
15	533	— <i>tubulosus</i> .
13	435	<i>Gnaphalium ericoides</i> .
9	300	— <i>eximium</i> .
8	263	<i>Glycine bimaculata</i> .
—	270	— <i>coccinea</i> .
—	268	— <i>rubicunda</i> .
18	668	<i>Gordonia Lafianthus</i> .
8	287	<i>Goodenia lœvigata</i> .
3	90	<i>Gorteria rigens</i> .
12	422	<i>Grewia occidentalis</i> .
14	483	<i>Hebenstretia dentata</i> .
19	708	<i>Hedychium coronarium</i> .
8	282	<i>Hedysarum obscurum</i> .
7	227	<i>Helianthus multiflorus</i> .
4	119	<i>Heliconia Bibai</i> .
14	502	— <i>Pittacorum</i> .
14	496	<i>Heliphila araboides</i> .
4	141	<i>Heliotropium peruvianum</i> .
1	3	<i>Helleborus hyemalis</i> .
2	72	— <i>lividus</i> .
1	8	— <i>niger</i> .
20	748	<i>Helonias asphodeloides</i> .
—	747	— <i>bullata</i> .
1	19	<i>Hemerocallis flava</i> .
2	64	— <i>fulva</i> .
6	210	<i>Hemimeris coccinea</i> .
—	210	— <i>linearis</i> .
12	417	— <i>urticæfolius</i> .
9	299	<i>Hermannia alnifolia</i> .
—	307	— <i>althæifolia</i> .
—	304	— <i>Iavandulifolia</i> .
16	506	<i>Hesperantha falcata</i> .
—	573	— <i>radiata</i> .
19	730	<i>Hesperis tristis</i> .

<i>Vol.</i>	<i>Page</i>	
5	158	<i>Hibiscus javanicus</i> .
20	769	— <i>Pattersonius</i> .
13	436	— <i>præmorsus</i> .
5	158	— <i>Rosa sinensis</i> .
10	360	— <i>speciosus</i> .
3	83	— <i>syriacus</i> .
6	209	— <i>trionum</i> .
19	721	<i>Hillia longiflora</i> .
—	721	— <i>parasitica</i> .
12	427	<i>Hippocrepis balearica</i> .
—	438	<i>Hortensia mutabilis</i> .
11	370	<i>Houstonia cærulea</i> .
5	157	<i>Hyacinthus botryoides</i> .
4	133	— <i>comosus</i> .
19	734	— <i>moschatus</i> .
4	122	— <i>racemosus</i> .
13	437	<i>Hydrangea arborescens</i> .
—	438	— <i>hortensis</i> .
3	87	<i>Hyoscyamus aureus</i> .
4	137	<i>Hypericum balearicum</i> .
5	146	— <i>calycinum</i> .
—	178	— <i>Coris</i> .
10	334	— <i>monogynum</i> .
19	710	<i>Hypoxis carolinensis</i> .
—	710	— <i>erecta</i> .
—	709	— <i>ferrata</i> .
—	711	— <i>sobolifera</i> .
18	662	— <i>stellata</i> , v. <i>z.</i>
19	711	— <i>villosa</i> .
13	461	<i>Jasminum fruticans</i> .
8	285	— <i>odoratissimum</i> .
1	31	— <i>officinale</i> .
17	604	<i>Jatropha panduræfolia</i> .
4	124	<i>Iberis gibraltarica</i> .
3	106	— <i>umbellata</i> .
13	439	<i>Illicium floridanum</i> .
—	465	<i>Indigofera angustifolia</i> .
6	198	— <i>candidans</i> .
19	742	— <i>cytisoides</i> .
14	476	— <i>Psoraloides</i> .
20	752	<i>Ipomœa Eona Nox</i> .
7	221	— <i>coccinea</i> .
—	244	— <i>Quamoclit</i> .
11	373	<i>Iris chinensis</i> .
12	412	— <i>cristata</i> .
18	671	— <i>florentina</i> .
—	670	— <i>germanica</i> .
—	681	— <i>graminea</i> .
—	669	— <i>lurida</i> .
—	679	— <i>lusitanica</i> .
2	61	— <i>ochroleuca</i> .
—	685	— <i>pallida</i> .
1	1	— <i>perfica</i> .
—	9	— <i>pumila</i> .
6	187	— <i>sambucina</i> .
2	50	— <i>sibirica</i> .

Vol.	Page		Vol.	Page	
2	58	I—spuria.	6	184	I—cracata.
3	91	—fusiana.	16	575	—cruciata.
15	531	—tuberosa.	17	622	—deusta.
1	16	—variegata.	16	584	—excisa.
1	21	—vericolor.	17	606	—excisa.
19	703	—virginica.	16	566	—falcata.
18	687	—Xiphoides.	19	704	—fenestrata.
—	686	—Xiphium.	15	523	—fistulosa.
19	693	—compressa.	16	583	—flabelliformis.
20	759	—crispa.	15	522	—flaccida.
17	613	—edulis.	4	128	—flexuosa.
—	613	—longifolia.	17	622	—gibba.
12	416	—martinicensis.	16	570	—gracilis.
18	685	—odoratissima.	15	541	—grandiflora, α .
20	750	—papilionacea.	20	779	—grandiflora, β .
5	168	—Pavonia.	16	581	—lancea.
20	771	—ramosa.	8	256	—longiflora.
—	771	—ramosissima.	19	695	—longifolia.
19	702	—tripetala.	17	608	—marginata.
16	577	—triflisis.	—	609	—miniata.
—	571	—villofa.	18	672	—obtusata.
—	587	—viscaria.	16	584	—ovata.
12	432	Justicia coccinea.	15	548	—pentandra:
10	325	—nasuta.	16	553	—plantaginea.
12	430	—peruviana.	—	583	—punicea.
16	589	Ixia aristata.	17	597	—pusilla.
—	570	—capillaris, v. gracillima.	16	573	—radiata.
17	617	—————v. incarnata.	15	542	—retusa.
—	617	—————v. stricta.	17	598	—Rochensis.
17	630	columellaris.	16	575	—rosea, β .
15	539	conica.	12	410	—rubro-cyanea.
16	594	crateroides.	17	597	—secunda.
17	599	crispa.	16	581	—similis.
—	623	erecta.	—	549	—spectabilis.
17	624	flexuosa.	—	581	—squalida, α .
4	128	hybrida.	14	487	—squalida, β .
16	549	maculata, v. viridis.	11	381	—tricolor.
17	607	monadelpha.	17	637	—villofa.
15	522	patens.	—	621	—villofa.
17	629	polystachia.	16	583	—villofa.
—	542	scillaris, v. latifolia.	5	169	Ixora coccinea.
17	623	serotina.	10	331	Kalmia angustifolia.
16	594	speciosa.	5	177	—————glauca.
—	549	abbreviata.	4	138	—————hirsuta.
—	549	amœna.	5	175	—————latifolia.
18	655	americana.	20	775	Knowltonia vesicatoria.
15	541	aristata.	19	735	Lachenalia angustifolia.
17	598	azurea.	17	643	—————lanceæfolia.
15	548	bicolor.	16	590	—————pendula.
—	545	bulbifera.	20	745	—————purpuro-cærulea.
8	265	bulbocodium.	16	588	—————quadricolor.
5	171	chinensis.	3	82	—————tricolor.
16	566	cinnamomea.	20	766	—————unifolia.
17	607	columnaris.	12	405	Lagerstroemia indica.
16	595	corymbosa.	20	769	Lagunæa Paterfonia.
—	505	crispifolia.	—	769	—————squamea.

I N D E X.

<i>Vol.</i>	<i>Page</i>	<i>Vol.</i>	<i>Page</i>
5	172 <i>Lamium Orvala.</i>	10	353 <i>Mahernia incisa.</i>
3	96 <i>Lantana aculeata.</i>	8	277 ————— <i>pinnata.</i>
16	595 <i>Lapeyrougia corymbosa.</i>	9	322 <i>Manulea tomentosa.</i>
17	606 ————— <i>junccea</i> , est <i>Ano-</i> matheca.	18	646 <i>Marica Cipura.</i>
8	253 <i>Lathyrus articulatus.</i>	12	416 ————— <i>martinicensis.</i>
2	60 ————— <i>odoratus.</i>	18	654 ————— <i>Northiana.</i>
4	115 ————— <i>sativus.</i>	—	646 ————— <i>paludosa.</i>
3	100 ————— <i>tingitanus.</i>	—	655 ————— <i>plicata.</i>
4	111 ————— <i>tuberosus.</i>	19	701 ————— <i>striata.</i>
12	401 <i>Lavandula dentata.</i>	—	736 <i>Massonia angustifolia.</i>
—	400 ————— <i>pinnata.</i>	16	554 ————— <i>ensifolia.</i>
4	109 <i>Lavatera althaeifolia.</i>	19	736 ————— <i>lanceolata.</i>
15	517 ————— <i>thuringiaca.</i>	16	559 ————— <i>muricata.</i>
4	109 ————— <i>trimestris.</i>	17	642 ————— <i>pustulata.</i>
2	46 <i>Leucoium vernum.</i>	—	622 ————— <i>scabra.</i>
1	36 <i>Lilium bulbiferum.</i>	16	554 ————— <i>violacea.</i>
8	278 ————— <i>candidum.</i>	14	500 <i>Maublia africana.</i>
—	259 ————— <i>Catesbaei.</i>	16	554 ————— <i>ensifolia.</i>
1	30 ————— <i>chalcedonicum.</i>	13	460 <i>Maurandya semperflorens.</i>
15	519 ————— <i>philadelphicum.</i>	17	641 <i>Melanthium eucomoides.</i>
4	116 <i>Limodorum tuberosum.</i>	16	558 ————— <i>junceum.</i>
12	403 <i>Linum africanum.</i>	19	694 ————— <i>spicatum.</i>
7	234 ————— <i>arboreum.</i>	16	558 ————— <i>triquetrum.</i>
9	312 ————— <i>flavum.</i>	20	767 ————— <i>uniflorum.</i>
12	431 ————— <i>quadrifolium.</i>	17	615 <i>Melasphaerula graminea.</i>
8	275 <i>Liriodendron Tulipifera.</i>	15	529 <i>Melaftoma malabathrica.</i>
15	515 <i>Lithospermum orientale.</i>	9	301 <i>Melianthus minor.</i>
—	514 <i>Lobelia bicolor.</i>	6	208 <i>Melissa grandiflora.</i>
9	325 ————— <i>cardinalis.</i>	18	658 <i>Menianthes indica.</i>
17	644 ————— <i>coronopifolia.</i>	8	262 <i>Mesembryanthemum aureum.</i>
20	741 ————— <i>gracilis.</i>	2	70 ————— <i>barbatum.</i>
7	225 ————— <i>surinamensis.</i>	—	59 ————— <i>bicolorum.</i>
17	640 <i>Lonicera implexa.</i>	1	32 ————— <i>dolabriforme.</i>
3	80 ————— <i>marilandica.</i>	13	448 ————— <i>micans.</i>
20	781 ————— <i>sempervirens.</i>	2	67 ————— <i>pinnatifidum.</i>
8	254 <i>Lopezia racemosa.</i>	15	540 ————— <i>pomeridianum.</i>
—	254 ————— <i>mexicana.</i>	11	396 ————— <i>spectabile.</i>
10	336 <i>Lotus hirsutus.</i>	10	326 ————— <i>viridiflorum.</i>
3	79 ————— <i>jacobaeus.</i>	8	260 <i>Metrosideros citrina.</i>
5	151 ————— <i>tetragonolobus.</i>	—	260 ————— <i>lanceolata.</i>
18	682 <i>Lupinus arboreus.</i>	7	219 <i>Michauxia Campanuloides.</i>
4	140 ————— <i>luteus.</i>	9	302 <i>Mimosa myrtifolia.</i>
6	202 ————— <i>perennis.</i>	4	110 ————— <i>verticillata.</i>
11	394 <i>Lychnis alpina.</i>	10	354 <i>Mimulus aurantiacus.</i>
8	257 ————— <i>chalconica.</i>	8	283 ————— <i>ringens.</i>
7	223 ————— <i>coronata.</i>	11	371 <i>Mirabilis Jalapa.</i>
—	223 ————— <i>grandiflora.</i>	13	434 ————— <i>viscosa.</i>
11	361 <i>Lycium japonicum.</i>	15	546 <i>Monarda didyma.</i>
—	361 ————— <i>fætidum.</i>	5	145 ————— <i>fistulosa.</i>
—	361 ————— <i>indicum.</i>	11	385 <i>Monsonia lobata.</i>
3	104 <i>Lysimachia bulbifera.</i>	3	73 ————— <i>speciosa.</i>
—	104 ————— <i>stricta.</i>	—	73 ————— <i>grandiflra.</i>
18	660 ————— <i>quadriflora.</i>	20	759 <i>Moræa crispa.</i>
11	390 <i>Magnolia discolor.</i>	17	613 ————— <i>edulis.</i>
—	390 ————— <i>purpurea.</i>	19	695 ————— <i>flexuosa.</i>
		17	613 ————— <i>fugax.</i>

Vol.	Page
19	693 <i>M</i> — iridioides.
—	712 — longiflora.
20	750 — papilionacea.
—	771 — ramosa.
19	696 — tricuspis, v. α .
5	168 — tricuspis, v. β .
20	772 — tricuspis, v. γ . <i>Iutea</i> .
19	702 — tripetala.
16	577 — tristis.
—	593 — unguiculata.
16	571 — villosa.
—	587 — viscaria.
5	171 — chinensis.
18	654 — northiana.
—	655 — palmifolia.
15	532 — pavonia.
18	655 — plicata.
19	701 — serrata.
16	577 — sordescens.
15	520 — spiralis.
16	577 — tricolor.
19	693 — vegeta.
5	157 <i>Muscari botryoide</i> .
4	133 — comosum.
19	734 — moschatum.
4	122 — racemosum.
7	250 <i>Myrtus tomentosa</i> .
14	473 — brasiliaca.
6	193 <i>Narcissus angustifolius</i> .
—	197 — biflorus.
3	88 — Bulbocodium.
4	121 — incomparabilis.
1	15 — Jonquilla.
2	51 — major.
1	6 — minor.
3	78 — odorus.
6	193 — poeticus.
11	379 — tenuior.
2	48 — triandrus.
19	731 <i>Neudorffia peruviana</i> .
18	673 <i>Nicotiana undulata</i> .
1	22 <i>Nigella Damascena</i> .
19	731 <i>Nolana prostrata</i> .
18	684 <i>Nymphaea advena</i> .
16	552 — cœrulea.
11	388 <i>Oenothera anomala</i> .
10	332 — fruticosa.
11	365 — longiflora.
10	355 — pumila.
—	352 — purpurea.
—	347 — rosea.
13	468 — tetraptera.
9	317 <i>Ononis fruticosa</i> .
10	329 — Natrix.
—	335 — rotundifolia.
9	338 <i>Ordia grandiflora</i> .

Vol.	Page
20	784 <i>Ophioxylum serpentinum</i> .
—	784 — trifoliatum.
9	298 <i>Origanum Dictamnus</i> .
6	190 <i>Ornithogalum aureum</i> .
10	728 — arabicum.
8	269 — nutans.
18	653 — revolutum.
18	675 <i>Orobus varius</i> .
15	521 — vernus.
18	675 — versicolor.
9	306 <i>Othonna pectinata</i> .
20	768 — pinnata.
7	237 <i>Oxalis caprina</i> .
—	237 — cernua.
—	237 — Pes Capræ.
5	155 — versicolor.
13	434 <i>Oxybathus viscosus</i> .
19	718 <i>Pancratium illyricum</i> .
—	718 — stellare.
2	97 <i>Papaver orientale</i> .
171	<i>Pardanthus chinensis</i> .
292	<i>Passerina grandiflora</i> .
2	66 <i>Passiflora alata</i> .
1	28 — cœrulea.
8	288 — ciliata.
18	651 — ferratifolia.
3	103 <i>Pelargonium acetosum</i> .
5	148 — betulinum.
6	201 — bicolor.
9	315 — ceratophyllum.
5	165 — cordifolium.
14	477 — crassicaule.
9	309 — echinatum.
4	143 — glutinosum.
20	761 — incrassatum.
2	56 — lanceolatum.
1	20 — peltatum.
16	579 — pinnatum.
15	524 — pulchellum.
—	547 — quinatum.
3	95 — Radula.
14	493 — reniforme.
12	413 — ternatum.
4	136 — tetragonum.
15	518 — tomentosum.
7	240 — tricolor.
17	620 <i>Pentapetes acerifolia</i> .
20	755 <i>Pergularia minor</i> .
—	760 <i>Péronnia linearis</i> .
17	628 <i>Petræa volubilis</i> .
11	391 <i>Philadelphus coronarius</i> .
20	783 <i>Philydrum lanuginosum</i> .
17	478 <i>Phlomis Leonurus</i> .
5	163 <i>Phlox divaricata</i> .
15	528 — ovata.
12	415 — setacea.

INDEX.

9

Vol.	Page
16	563 <i>Phlox stolonifera.</i>
12	411 ——— <i>sabulata.</i>
3	83 <i>Phormium al ides.</i>
16	590 ——— <i>bulbiferum.</i>
7	224 <i>Phylica ericoides.</i>
14	469 <i>Platylobium formosum.</i>
14	473 <i>Plinia pedunculata.</i>
7	230 <i>Plumbago rosea.</i>
8	279 <i>Plumeria rubra.</i>
15	509 <i>Podalyria australis.</i>
20	753 ——— <i>biflora.</i>
10	345 <i>Polygala bracteolata.</i>
9	316 ——— <i>Chamæbuxus.</i>
10	340 ——— <i>Heisteria.</i>
14	492 ——— <i>oppositifolia.</i>
6	213 <i>Polygonum orientale.</i>
8	286 <i>Portlandia grandiflora.</i>
3	75 <i>Potentilla grandiflora.</i>
17	603 <i>Pothos cannæfolia.</i>
—	603 ——— <i>odorata.</i>
7	229 <i>Primula acaulis, var. fl. pleno</i> carneo.
12	399 ——— <i>cortufoides.</i>
11	392 ——— <i>longifolia.</i>
6	191 ——— <i>marginata.</i>
1	14 ——— <i>villosa.</i>
19	697 <i>Protea anemonifolia.</i>
18	649 ——— <i>cordata.</i>
20	770 ——— <i>cynaroides.</i>
18	674 ——— <i>Lepidocarpon.</i>
10	346 ——— <i>mellifera.</i>
19	698 ——— <i>Scolymus.</i>
20	337 <i>Prunella grandiflora.</i>
13	446 <i>Pforalea bracteata.</i>
18	665 ——— <i>corylifolia.</i>
17	620 <i>Pterospermum acerifolium.</i>
5	160 <i>Pulmonaria virginica.</i>
14	475 <i>Pultenæa stipularis.</i>
17	634 <i>Punica nana.</i>
20	778 <i>Pyrola umbellata.</i>
8	267 <i>Pyrus spectabilis.</i>
18	692 <i>Pyrus japonica.</i>
14	497 <i>Quailia amara.</i>
—	482 <i>Rafnia triflora.</i>
6	204 <i>Ranunculus aconitifolius, v.</i> fl. pleno.
—	215 ——— <i>acris, v. fl. pleno.</i>
8	266 ——— <i>amplexicaulis.</i>
5	164 ——— <i>gramineus.</i>
11	386 ——— <i>parnassifolius.</i>
1	29 <i>Reseda odorata.</i>
14	488 <i>Rhododendron Chamæcistus.</i>
17	636 ——— <i>dauricum.</i>
18	650 ——— <i>ponticum.</i>
14	471 ——— <i>Rhodora.</i>
—	474 <i>Rhodora canadensis.</i>

Vol.	Page
9	311 <i>Robinia hispida.</i>
16	560 ——— <i>glutinosa.</i>
11	378 <i>Roëlla ciliata.</i>
—	363 <i>Rosa lutea.</i>
2	69 ——— <i>muscofa.</i>
12	407 ——— <i>provincialis, v.</i>
8	284 ——— <i>semperflorens.</i>
18	690 <i>Rothmannia capensis.</i>
4	132 <i>Rubus arcticus.</i>
9	323 ——— <i>odoratus.</i>
1	2 <i>Rudbeckia purpurea.</i>
6	182 <i>Salvia aurea.</i>
11	376 ——— <i>formosa.</i>
—	395 ——— <i>indica.</i>
16	550 <i>Samyda rosea.</i>
—	550 ——— <i>ferrulata.</i>
5	162 <i>Sanguinaria canadensis.</i>
19	739 <i>Sansevieria sessiliflora.</i>
20	780 <i>Sarracenia flava.</i>
5	154 <i>Saponaria ocymoides.</i>
6	196 <i>Saxifraga crassifolia.</i>
10	351 ——— <i>mutata.</i>
12	424 ——— <i>rotundifolia.</i>
3	92 ——— <i>farmentosa.</i>
7	247 <i>Scabiosa atropurpurea.</i>
10	341 <i>Scilla amæna.</i>
20	746 ——— <i>bifolia.</i>
4	127 ——— <i>campanulata.</i>
18	663 ——— <i>italica.</i>
20	749 ——— <i>peruviana.</i>
4	142 <i>Scorzonera tingitana.</i>
17	635 <i>Scutellaria grandiflora.</i>
4	118 <i>Sedum Anacampseros.</i>
6	211 ——— <i>populifolium.</i>
—	186 <i>Selago ovata.</i>
2	68 <i>Sempervivum arachnoideum.</i>
15	507 ——— <i>globiferum.</i>
3	93 ——— <i>Monanthes.</i>
9	296 ——— <i>tortuosum.</i>
7	238 <i>Senecio elegans.</i>
—	218 <i>Sibthorpia peregrina.</i>
10	330 <i>Sida cristata.</i>
18	677 <i>Silene bipartita.</i>
11	382 ——— <i>ornata.</i>
4	114 ——— <i>pendula.</i>
18	689 ——— <i>saxatilis.</i>
—	677 ——— <i>vespertina.</i>
3	94 <i>Sisyrinchium Bermudiana.</i>
13	464 ——— <i>gramineum.</i>
3	94 ——— <i>Iridioides.</i>
18	655 <i>Sisyrinchium latifolium.</i>
—	655 ——— <i>palmifolium.</i>
19	701 ——— <i>striatum.</i>
—	701 ——— <i>spicatum.</i>
10	349 <i>Solanum laciniatum.</i>
2	49 <i>Soldanella alpina.</i>

INDEX.

<i>Vol.</i>	<i>Page</i>	<i>Vol.</i>	<i>Page</i>
15	509 <i>Sophora australis.</i>	16	581 <i>Tritonia squalida.</i>
20	753 ——— <i>biflora.</i>	7	235 <i>Trollius asiaticus.</i>
5	167 <i>Sophora tetraptera.</i>	1	23 <i>Tropæolum majus.</i>
15	548 <i>Sparaxis bicolor.</i>	3	98 ——— <i>minus.</i>
—	545 ——— <i>bulbifera.</i>	14	500 <i>Tulbaghia.</i>
—	541 ——— <i>grandiflora, v. α.</i>	19	717 <i>Tulipa breyniana.</i>
20	779 ——— <i>grandiflora, v. β.</i>	8	281 <i>Turnera angustifolia.</i>
11	381 ——— <i>tricolor.</i>	3	84 <i>Tussilago alpina.</i>
15	516 <i>Spermannia africana.</i>	19	714 <i>Valeriana sibirica.</i>
3	85 <i>Spartium junceum.</i>	17	620 <i>Velarga Elyocarpa.</i>
18	683 ——— <i>monospermum.</i>	14	501 <i>Veltheimia capensis:</i>
3	80 <i>Spigelia marilandica.</i>	—	501 <i>Veltheimia viridifolia.</i>
14	489 <i>Spiræa trifoliata.</i>	20	764 ——— <i>pumila.</i>
18	666 <i>Stachys coccinea.</i>	—	744 ——— <i>repens.</i>
15	536 <i>Stapelia Asterias.</i>	—	758 ——— <i>uvaria.</i>
16	585 ——— <i>grandiflora.</i>	7	236 <i>Verbascum Myconi.</i>
15	506 ——— <i>lentiginosa.</i>	9	308 <i>Verbena aubletia.</i>
17	619 ——— <i>radiata.</i>	11	367 ——— <i>triphylla.</i>
19	724 ——— <i>revoluta.</i>	7	242 <i>Veronica decussata.</i>
1	26 ——— <i>variegata.</i>	2	38 <i>Viburnum Tinus.</i>
20	786 ——— <i>verrucosa.</i>	—	696 <i>Vieusseuxia glaucopis.</i>
2	71 <i>Statice sinuata.</i>	19	696 ——— <i>aristata.</i>
18	656 ——— <i>speciosa.</i>	—	696 ——— <i>spiralis.</i>
4	119 <i>Strelitzia Reginæ.</i>	—	702 ——— <i>tripetaloides.</i>
7	222 <i>Struthiola erecta.</i>	7	248 <i>Vinca rosea.</i>
14	486 <i>Syringa persica.</i>	15	535 <i>Viola palmata.</i>
6	183 ——— <i>vulgaris.</i>	3	89 ——— <i>pedata.</i>
20	740 <i>Tagetes lucida.</i>	11	364 <i>Vitex Negundo.</i>
5	150 ——— <i>patula.</i>	13	460 <i>Usteria scandens.</i>
6	212 <i>Tanacetum flabelliforme.</i>	17	614 <i>Wachendorfia hirsuta.</i>
19	737 <i>Teganium procumbens.</i>	—	616 ——— <i>paniculata.</i>
7	245 <i>Teucrium latifolium.</i>	19	731 <i>Walkeria Ehretii.</i>
15	532 <i>Tigridia pavonia.</i>	13	441 <i>Watsonia aletroides, α.</i>
3	105 <i>Tradescantia virginica.</i>	15	533 ——— <i>aletroides, β.</i>
19	722 <i>Trichosanthes anguina.</i>	17	601 ——— <i>brevifolia.</i>
16	575 <i>Trichonema cruciatum.</i>	—	631 ——— <i>humilis.</i>
8	265 ——— <i>roseum.</i>	—	600 ——— <i>iridifolia.</i>
10	328 <i>Trifolium incarnatum.</i>	—	608 ——— <i>marginata.</i>
16	557 ——— <i>spadiceum.</i>	12	418 ——— <i>meriana.</i>
14	470 <i>Trillium erectum.</i>	16	553 ——— <i>plantaginea:</i>
2	40 ——— <i>fessile.</i>	15	537 ——— <i>roseo-alba.</i>
20	744 <i>Tritoma media.</i>	—	523 ——— <i>spicata.</i>
—	764 ——— <i>pumila.</i>	12	420 <i>Xeranthemum canescens.</i>
—	758 ——— <i>uvaria.</i>	—	414 ——— <i>fulgidum.</i>
14	501 ——— <i>capensis.</i>	—	425 ——— <i>sesamoides.</i>
17	618 <i>Tritonia capensis.</i>	20	763 ——— <i>sesamoides, v.</i>
18	678 ——— <i>crispa.</i>	—	γ. <i>sulphurea.</i>
6	184 ——— <i>crocata.</i>	—	776 ——— <i>variegatum.</i>
17	622 ——— <i>deusta.</i>	5	149 <i>Zinnia multiflora.</i>
19	704 ——— <i>fenestrata.</i>	15	527 ——— <i>elegans.</i>
14	487 ——— <i>lineata.</i>	16	555 ——— <i>tenuiflora.</i>
8	256 ——— <i>longiflora.</i>	15	527 ——— <i>violacea.</i>
17	609 ——— <i>miniata.</i>	11	372 <i>Zygophyllum insuave.</i>
11	383 ——— <i>securigera.</i>	19	731 <i>Zwingera.</i>





I N D E X.



In which the *English Names* of the Plants contained in the first
Twenty Volumes of the BOTANICAL MAGAZINE are alpha-
betically arranged.

<i>Vol.</i>	<i>Page</i>	A	<i>Vol.</i>	<i>Page</i>
4	134	DONIS, perennial or spring.	1	10
5	173	Aitonia, cape.	2	54
9	720	Albuca, lesser.	4	123
10	338	Allamanda, willow-leaved.	13	439
14	503	Allspice, Carolina.	17	606
13	466	— Japan.	9	318
5	161	Almond, dwarf.	16	561
13	455	Aloe, cushion.	18	692
—	457	— fan.	8	267
15	513	— partridge-breast.	5	172
20	757	— soft-spined.	15	544
—	756	— spider-footed-leaved.	13	458
—	765	— spotted.	17	605
14	472	— succotrine.	15	520
4	139	Alstroemeria, spotted-flowered.	10	339
—	125	— striped-flowered.	—	344
—	130	Alyssum, bladder-podded.	20	773
12	419	— mountain.	—	530
4	126	— purple.	19	716
3	101	— sweet.	5	180
5	159	— yellow.	13	433
8	239	Amaryllis, Atamasco-lily.	16	583
9	305	— Barbadoes-lily.	17	637
19	733	— Belladonna-lily.	—	626
—	726	— divaricata-petaled.	18	680
—	725	— glaucous-leaved.	12	410
12	409	— golden.	16	576
9	294	Guernsey-lily.	17	638
2	47	Jacobæa-lily.	—	621
18	661	long-leaved.	6	208
13	453	Mexican-lily.	19	738
18	657	netted-veined.	—	715
4	129	superb.	11	372
11	369	waved-leaved.	16	551
9	290	yellow.		
18	667	Andromeda, oval-leaved.		
20	743	Androsace, hairy.		

INDEX.

Vol.	Page		Vol.	Page	
13	144	B——— canary.	3	106	C——— purple.
20	782	——— cape.	9	291	Caper Shrub.
4	117	——— carpatian or heart-leaved.			Carnation, <i>vide</i> Pink.
15	512	——— dwarf.			Cardinal-flower, <i>vide</i> Lobelia.
12	397	——— greatest-flowered peach-leaved.	17	633	Cassia corymbous.
7	252	——— great-flowered.	3	107	——— dwarf.
18	691	——— slender.	9	293	Catananche, blue.
—	559	——— fiberian.	11	382	Catchfly, dark-coloured.
12	404	——— soft.	18	677	——— Morocco.
3	102	——— Venus's looking-glass.	4	114	——— pendulous.
19	700	Betony, great-flowered.	18	689	——— stone.
—	732	Bindweed, American great.	4	131	Catesbaea, thorny, or Lily Thorn.
6	188	——— azure.			Celsia, <i>vide</i> Hemimeris.
19	699	——— Egyptian.	14	494	Centaury, cretan.
9	289	——— narrow-leaved.	12	421	——— golden.
4	113	——— purple or Convolvulus major.	3	77	——— mountain.
10	359	——— silky-leaved.	2	62	——— woad-leaved.
13	459	——— filvery-leaved.	19	737	Cerbera, oval-leaved.
1	27	——— trailing or Convolvulus minor.	1	17	Cereus, creeping.
3	79	Bird's-foot Trefoil, dark-flowered.	11	364	Chaste-tree, five-leaved.
10	336	——— hairy.			Chichling-Vetch, <i>vide</i> Laethrus.
5	151	——— winged.	7	233	Chironia, berry-bearing.
15	534	Birthwort, broad-leaved.	19	707	——— cross-leaved.
15	521	Bitter-Vetch, early-flowering.	15	511	flax-leaved.
18	675	——— particoloured.	2	37	shrubby.
3	81	Bladder-senna, common.	10	327	Chrysanthemum, Indian.
6	181	——— scarlet.	15	508	——— three-coloured.
13	451	Blakea, three-ribbed.	7	249	Cineraria, blue, or Cape Aster.
8	276	Elite, strawberry.	12	406	——— purple-leaved.
14	500	Blue-lily, African.	2	53	——— woolly.
8	274	Borbonia, heart-leaved.	3	75	Cinquefoil, great-flowered.
11	361	Boxthorn, Japanese.	17	627	Cistus algarvæ.
4	132	Bramble, dwarf.	8	264	——— beautiful.
9	323	——— flowering.	4	112	——— Gum.
13	442	Broom, flax-leaved.	2	43	——— Hoary or Rose.
3	85	——— spanish.			Clematis, <i>vide</i> Virgin's-bower
9	314	——— triangular-stalked.			Cockle, <i>vide</i> Rose-Campion.
18	683	——— white single-seeded.	3	84	Coltsfoot, alpine.
1	34	Browallia, tall.	7	246	Columbine, Canadian.
		Bruno's Lily, <i>vide</i> Anthericum.			Convolvulus, <i>vide</i> Bindweed.
11	393	Brunsfelsia, American.	5	156	Coreopsis, whorled.
7	217	Buchnera, clammy.	15	526	Cornel, great-flowered.
18	658	Buck-bean, Indian.	3	86	Corn-flag, common.
5	174	Buddleia, round-headed.	11	383	——— copper-coloured.
—	153	Bulbocodium, vernal.	10	343	——— Cunonia.
16	564	Cacalia, scarlet flowered.	16	569	——— dwarf, Watson's.
		Campanula, <i>vide</i> Bell-flower.	17	625	——— fairest.
2	42	Camellia, Rose.	16	591	——— flesh-coloured.
4	124	Candy-tuft, Gibraltar.	17	610	——— large-flowered.
			—	632	——— Miller's.
			—	602	——— narrow-leaved.
			18	645	——— pale-purple.
			14	487	——— pencilled.
			18	688	——— perfumed.

<i>V.l.</i>	<i>Page</i>		<i>Vol.</i>	<i>Page</i>
16	567	C—— quadrangular.	14	482 C—— three-flowered.
—	574	—— rose-coloured.	6	215 Crowfoot, double upright.
19	719	—— round-seeded.	5	164 ——— grass-leaved.
16	562	—— slender.	6	204 ——— mountain, or fair maids of France.
—	556	—— small changeable.	11	386 ——— parnassia-leaved.
18	648	—— snow-white.	8	266 ——— plantain-leaved.
8	272	—— square-leaved.		Crown Imperial, <i>vide</i> Fritillary.
4	135	—— superb.	13	452 Cuckow-flower, three-leaved.
16	582	—— tall.		Cudweed, <i>vide</i> Gnaphalium.
—	592	—— thick-leaved.	16	568 Cyanella, purple-flowered.
19	727	—— variegated shaggy.	1	4 Cyclamen, round-leaved.
16	578	—— violet-scented.	2	44 ——— Persian.
13	450	—— Watson's.	11	374 Cyrilla, scarlet-flowered.
18	647	—— waved-flowered, α .	8	271 Cyrtanthus, narrow-leaved.
15	538	—— waved-flowered, β .	12	426 Cytisus, leafy.
16	586	—— wing-flowered.	8	255 ——— common.
8	258	Coronilla, purple.	2	51 Daffodil, great.
6	185	—— rue-leaved.	3	88 ——— hoop-petticoat.
1	13	—— sea-green or day- smelling.	1	6 ——— least.
1	12	Cowslip, American.	6	193 ——— narrow-leaved.
6	206	Crane's-Bill, anemony-leaved	4	121 ——— peerless.
—	203	—— angular-stalked.	2	48 ——— reflexed or rush- leaved.
5	148	birch-leaved.	11	379 ——— slender.
4	143	clammy.	6	197 ——— two-flowered.
1	18	dwarf.	20	762 Dahlia, scarlet-flowered.
15	547	five-fingered.	5	147 Dais, cotinus-leaved.
8	261	flesh-coloured.	7	228 Daisy, great double.
20	761	fleshy-leaved.	9	313 Daphne, trailing.
5	165	heart-leaved.	12	428 ——— mountain.
9	315	horn-leaved.	1	19 Day-Lily, yellow.
1	20	ivy-leaved.	2	64 ——— tawny.
14	493	kidney-leaved.	15	505 Dianella, blue.
25	524	none-such.	13	449 Dillenia, shewy.
—	518	pennyroyal.	8	273 Diosma, one-flowered.
16	579	pinnated.	13	456 ——— saw-leaved.
9	309	prickly-stalked.	7	218 Disandra, trailing.
3	95	rasp-leaved.	9	298 Dittany of Crete.
11	377	Roman.	1	12 Dodecatheon, Mead's.
11	504	silver-leaved.	8	280 Dog's-bane, tutfan-leaved, or fly-catching.
3	103	solrel.	1	5 Dog's-tooth, common.
2	56	spear-leaved.	11	380 Dolichos, purple.
4	136	square-stalked.	6	214 Dragon's-head, toothed.
2	55	streaked.	13	467 ——— Virginian.
12	413	ternate.	11	387 Epidendrum, aloe-leaved.
14	477	thick-stalked.	13	463 ——— fringed-flowerd.
7	240	three-coloured.	15	543 ——— hooded.
6	201	two-coloured.	17	611 ——— long-stalked.
14	495	Crassula, scarlet-flowered.	16	572 ——— purple-flowerd.
11	384	tree.	20	777 ——— spread-eagle.
16	596	Cratæva, sweet-scented.	5	152 ——— sweet-scented.
20	755	Creeper, west-coast.	9	310 Erinus, alpine.
1	35	Crepis, bearded.	7	241 Fagonia, cretan.
18	652	Crocus, cloth of gold.		
2	45	common yellow.		
14	490	Crotalaria, channel-stalked.		

INDEX.

Vol.	Page		Vol.	Page
		Fairmaids of France, <i>vide</i> Crowfoot.	7	251 G — purple-headed.
1	22	Fennel-flower, garden.	14	499 — yellow or Moly.
20	751	Ferraria, green-variegated.	11	389 Gaura, biennial.
15	532	— Mexican.	—	388 — changeable.
4	144	— curled-flowered.	16	584 Geissorhiza, dwarf
2	70	Fig-Marigold, bearded.	17	597 — one-ranked.
13	448	— glittering	—	598 — plaid.
8	262	— golden.	18	672 — yellow-flowered.
15	540	— great-yellow flowered.	19	723 Gentian, dwarf, Porcelain-flowered.
10	326	— green-flowered	17	639 — fringed-flowered.
1	32	— hatchet-leaved	2	52 — large-flowered or Gentianella.
2	67	— pinnated.	14	491 — vernal.
11	396	— shewy.	19	705 — upright Porcelain-flowered.
2	59	— two-coloured.		Geranium, <i>vide</i> Crane's-bill.
3	91	Flag, Chalcedonian.	7	245 Germander, broad-leaved shrubby.
11	373	— Chinese.	14	479 Geropogon, smooth or old man's beard.
12	412	— crested.	7	235 Globe-flower, Asiatic.
8	569	— Dingy.	8	268 Glycine, dingy-flowered.
1	9	— dwarf.	8	263 — purple.
6	187	— Elder-scented.	—	270 — scarlet.
18	671	— florentine.	9	300 Gnaphalium, Giant.
—	670	— German.	13	435 — heath-leaved.
—	681	— grass-leaved.	8	287 Goodenia, smooth.
—	685	— pale.	18	668 Gordonia, smooth.
1	21	— particoloured.	3	90 Gorteria, rigid-leaved.
—	1	— Persian.	19	734 Grape-hyacinth, musk.
18	679	— Portugal.	5	157 — sky-coloured.
—	687	— Pyrenean.	4	122 — starch-scented.
2	50	— Siberian.	—	133 — tassel-flowered
15	531	— Snake's-head.	12	422 Grewia, elm-leaved.
18	686	— Spanish.	15	515 Gromwell, yellow.
2	58	— spurious.	7	238 Groundsel, double purple.
—	61	— tall.	12	429 Heath, Aiton's.
1	16	— variegated.	10	358 — Arbutus-flowered.
19	703	— Virginian.	12	423 — articular.
14	469	Flat-pea, large-flowered.	10	342 — blush-flowered.
12	403	Flax, African.	14	484 — ciliated.
—	431	— four-leaved.	13	447 — Crowberry-leaved.
7	234	— tree.	14	480 — downy-flowered.
9	312	— yellow.	9	309 — flask-flowered.
		Flower of Constantinople, <i>vide</i> Lychnis.	19	706 — flesh-coloured long leaved.
20	785	Fly-trap, Venus's.	16	580 — glaucous.
6	194	Fritillary, Crown-Imperial.	6	189 — great-flowered.
18	664	— pyrenean.	1	11 — herbaceous.
3	97	Fuchsia, scarlet.	7	220 — Honey-wort-flowered.
5	179	Fumitory, glaucous.	10	356 — Maffon's.
7	232	— hollow-rooted.	14	471 — Mediterranean.
—	231	— solid-rooted.	17	612 — nine-pin.
20	754	Galax, Carolina.	13	440 — palid.
18	690	Gardenia, spotted-flowered.	10	350 — porcelain.
19	708	Garland-flower, sweet-scented.		
20	774	Garlick, hairy-leaved.		

<i>Vol.</i>	<i>Page</i>		<i>Vol.</i>	<i>Page</i>	
11	366	H— pyramidal.	14	476	I— long-spiked.
—	362	— recurved.	13	465	— narrow-leaved
12	402	— red-flowered tre- mulous.	6	198	— white-leaved.
14	481	— rough-flowered.	1	15	Jonquil, common.
13	443	— sticky-flowered.	3	78	— sweet-scented, or great.
14	483	Hebenstretia, toothed.	20	752	Ipomæa, prickly
8	282	Hedysarum, creeping-rooted.	7	221	— scarlet.
14	502	Heliconia, parrot-beaked.	—	244	— winged-leaved.
—	496	Heliophila, club pointed.	10	325	Iris, <i>vide</i> Flag.
1	8	Hellebore, black.	—	430	Justicia, dichotomous.
2	72	— great three-leaved	—	430	— Peruvian.
1	3	winter.	15	432	— scarlet-flowered.
20	748	Helonias, grass-leaved.	5	171	Ixia, Chinese.
—	747	— spear-leaved.	16	522	— crimson.
		Hemerocallis, <i>vide</i> Day-Lily	8	265	— crocus-leaved.
6	210	Hemimeris, linear-leaved.	17	594	— cup-flowered.
12	417	— nettle-leaved.	—	599	— curled-leaved.
3	87	Henbane, golden.	—	617	— flesh-coloured.
1	10	Hepatica, or Noble liverwort	—	624	— flexuous.
9	299	Hermannia, alder-leaved.	16	549	— green stained.
—	304	— Lavender-leaved.	4	127	— hybrid.
—	307	— Marsh-mallow- leaved.	17	629	— lily of the valley scented
16	573	Hesperantha, nodding-flower ^d	—	607	— monadelphous.
—	566	— sickle-leaved	15	539	— orange-coloured.
6	209	Hibiscus, bladder or Venice Mallow.	16	589	— salver-flowered.
5	158	— China-rose.	—	570	— slender.
13	436	— round-leaved	15	542	— squill-flowered.
		shrubby.	17	630	— variegated.
10	360	— superb.	—	623	— upright.
3	83	— Syrian.	—	617	— wire-stemmed.
19	721	Hillia, long-tubed.	5	169	Ixora, scarlet.
9	301	Honey-flower, small.	5	175	Kalmia, broad-leaved.
20	781	Honeysuckle, Great Trumpet.	—	177	— glaucous.
17	640	— Minorca.	4	138	— hairy.
10	333	Honey-wort, great.	10	331	— narrow-leaved.
12	427	Horse-Shoe-Vetch, shrubby.	3	108	Kidney-Vetch, four-leaved.
		Hortensia, <i>vide</i> Hydrangea.	18	676	— prickly.
3	93	Houseleek, clustered.			Knapweed, <i>vide</i> Centaury.
2	68	— Cobweb.	20	775	Knowltonia, blistering.
15	507	— globular.	5	176	Laburnum, common.
9	296	— gouty.	16	588	Lachenalia, four-coloured.
11	370	Houstonia, blue-flowered.	19	735	— narrow-leaved.
13	438	Hydrangea, garden.	20	766	— one-leaved.
—	437	— shrubby.	16	590	— pendulous.
19	711	Hypoxis, creeping.	20	745	— purple-blue.
—	709	— saw-leaved.	17	643	— spotted copperas- leaved.
—	710	— upright.	3	82	— three-coloured.
1	31	Jasmin, common white.	—	108	Lady's-finger.
13	461	— yellow.	6	192	Lady's-slipper, two-leaved.
8	285	— yellow Indian.	—	216	— white-petaled.
17	604	Jatropha, fiddle-leaved.	2	55	Ladies needle-work.
13	454	Indian-Reed, common.	12	405	Lagerstroëmia, Indian.
20	742	Indigo, angular-stalked.	20	769	Lagunæa, Norfolk-Island.
			3	96	Lantana, prickly.

INDEX.

Vol.	Page
16	595 <i>Lapeyrouisia</i> , level-topped.
17	606 —— cut-leaved.
4	115 <i>Lathyrus</i> , blue-flowered or chickling-vetch.
8	253 —— jointed-podded.
2	60 —— purple, or sweet-pea.
3	100 —— Tangier-pea.
4	111 —— tuberous.
—	109 <i>Lavatera</i> , annual.
15	517 —— great-flowered.
12	401 <i>Lavender</i> , pinnated.
—	400 —— toothed-leaved.
2	38 <i>Laurustinus</i> , common.
7	230 <i>Leadwort</i> , rose-coloured.
6	183 <i>Lilac</i> , common.
14	486 —— Persian.
8	259 <i>Lily</i> , Catesby's.
1	30 —— Chalcedonian.
13	463 —— Mexican.
1	36 —— orange.
15	519 —— Philadelphian.
1	30 —— scarlet-martagon.
8	278 —— white.
	<i>Lily</i> , <i>vide</i> amaryllis.
	<i>Lily-thorn</i> , <i>vide</i> Catesbæa.
4	116 <i>Limodorum</i> , tuberous-rooted.
17	644 <i>Lobelia</i> , bucks-horn.
9	320 —— scarlet, or cardinal-flower.
7	225 —— shrubby.
20	741 —— slender-stemmed.
15	514 —— spotted-flowered.
	<i>Loblolly-bay</i> , <i>vide</i> Gordonia.
3	104 <i>Loose-strife</i> , bulb-bearing or upright.
18	660 —— four-flowered.
8	254 <i>Lopezia</i> , mexican.
	<i>Lotus</i> , <i>vide</i> Bird's-foot-trefoil.
	<i>Love in a mist</i> , <i>vide</i> fennel-flower.
5	160 <i>Lungwort</i> , Virginian.
4	140 <i>Lupin</i> , common yellow.
6	202 —— perennial.
18	682 —— tree.
12	411 <i>Lynchnidea</i> , awl-leaved.
16	568 —— creeping.
5	163 —— early-flowering.
12	415 —— fine-leaved.
15	528 —— ovate-leaved.
11	394 <i>Lychnis</i> , alpine.
7	223 —— Chinese.
8	257 —— scarlet or flower of Constantinople.
	<i>Madwort</i> , <i>vide</i> alyssum.
11	390 <i>Magnolia</i> , purple.

Vol.	Page
10	353 <i>Mahernia</i> , cut-leaved.
8	277 —— winged.
9	322 <i>Manulea</i> , woolly.
18	654 <i>Marica</i> , broad-stemmed.
—	646 —— marsh.
12	416 —— Martinico.
18	655 —— small-flowered.
19	701 —— streaked-flowered.
12	408 <i>Marigold</i> , bending-stalked.
	<i>Marigold</i> , French, <i>vide</i> tagetes.
	<i>Marigold</i> , Chili, <i>vide</i> tagetes.
11	371 <i>Marvel of Peru</i> , common.
16	559 <i>Massonia</i> , prickly-leaved.
17	642 —— shagreen-leaved.
19	736 —— sweet-scented.
16	554 —— trumpet-flowered.
13	460 <i>Maurandya</i> , climbing.
17	641 <i>Melanthium</i> , dwarf.
16	558 —— rush-like.
19	694 —— star-flowered.
20	767 —— yellow-flowered.
17	615 <i>Melasphærula</i> , grass-leaved.
15	529 <i>Melastoma</i> , cinnamon-leaved.
8	260 <i>Metrosideros</i> , harsh-leaved.
12	428 <i>Mezcreon</i> , Neapolitan.
9	313 —— trailing.
7	219 <i>Michauxia</i> , rough-leaved.
	<i>Mignonette</i> , <i>vide</i> Reseda.
14	498 <i>Milfoil</i> , woolly.
11	375 <i>Milk-vetch</i> , Montpelier.
9	316 <i>Milk-wort</i> , box-leaved.
10	340 —— heath-leaved.
14	492 —— opposite-leaved.
10	345 —— spear-leaved.
9	302 <i>Mimosa</i> , myrtle-leaved.
4	110 —— whirl-leaved.
5	145 <i>Monarda</i> , crimson.
15	546 —— scarlet, or Oswego Tea.
8	283 <i>Monkey-flower</i> , narrow-leaved.
10	354 —— orange.
11	385 <i>Monsonia</i> , broad-leaved.
3	73 —— large-flowered.
5	168 <i>Moræa</i> , azure-eyed.
16	587 —— bird-lined.
20	771 —— branching.
16	577 —— dull-coloured.
20	750 —— dwarf.
19	695 —— flexuous.
16	571 —— hairy.
—	593 —— long-clawed.
19	712 —— long-flowered.
17	613 —— long-leaved.
19	693 —— perennial-leaved.
20	759 —— short-spathe.
19	702 —— three petal-like.


Vol.	Page
19	696 M— trident-petaled.
20	772 —— yellow trident-petaled
7	236 Mullein, borage-leaved.
—	250 Myrtle, woolly leaved. Narcissus, <i>vide</i> Daffodil.
1	23 Nasturtium, great Indian.
3	98 —— small Indian.
1	7 Navel-wort, blue.
9	321 —— round-leaved.
10	349 Night-shade, cut-leaved.
19	731 Nolana, trailing.
11	388 Enothera, anomalous.
10	355 —— dwarf.
11	365 —— long-flowered.
10	352 —— purple.
—	347 —— rose-coloured.
—	332 —— shrubby.
13	468 —— white-flowered. Oldman's-beard, <i>vide</i> Geropogon.
20	784 Ophioxylum, three-leaved. Orobus, <i>vide</i> Bitter-vetch.
4	118 Orpine, evergreen.
20	768 Othonna, pinnated.
9	306 —— wormwood-leaved.
19	718 Pancratium, Illyrian.
5	171 Pardanthus, Chinese.
9	292 Passerina, great-flowered.
8	288 Passion-flower, ciliated.
1	28 —— common.
18	651 —— notch-leaved.
2	66 —— winged-stalk ^d . Pea, <i>vide</i> lathyrus.
13	462 Pellitory of Spain.
7	248 Periwinkle, Madagascar.
6	213 Persicaria, tall.
20	760 Persoonia, linear-leaved.
17	628 Petreæa, twining.
20	783 Philydrum, woolly.
14	478 Phlomis, lion's-tail.
7	224 Phylica, heath-leaved.
17	604 Physic-nut, fiddle-leaved.
9	319 Pimpernel, Italian.
2	39 Pink, Franklin's tartar.
1	25 —— Indian.
9	297 —— superb.
6	205 —— Sweet-William.
14	473 Plinia, pedunculated.
8	279 Plumeria, red.
15	509 Podalyria, blue-flowered.
20	753 —— two-flowered.
17	634 Pomegranate-tree, dwarf.
2	57 Poppy, eastern.
3	75 Potentilla, large-flowered.
17	603 Pothos, sweet-scented.
8	286 Portlandia, great-flowered.

Vol.	Page
7	243 Prickly-poppy, Mexican.
12	399 Primrose, cortusa-leaved.
7	229 —— double lilac.
11	392 —— long-leaved.
1	14 —— mountain.
6	191 —— silver-edged.
20	770 Protea, artichoke-flowered.
18	674 —— black-flowered.
19	697 —— fork-leaved.
18	649 —— heart-leaved.
10	346 —— honey-bearing.
19	698 —— small smooth-leaved.
18	665 Psoralea, hazel-leaved.
13	446 —— oval-spiked.
17	620 Pterospermum, maple-leaved.
5	162 Puccoon, Canada.
14	475 Pultenæa, scaly.
10	357 Quaking-grass great.
14	497 Quassia, bitter.
	Ragwort, african, &c. Othonna
9	323 Raspberry, flowering.
1	29 Reseda, sweet-scented or Mignonette.
10	335 Rest-harrow, round-leaved.
9	317 —— shrubby.
10	329 —— yellow-flowered.
17	636 Rhododendron, dotted-leaved
18	650 —— —— purple.
13	488 —— —— thyme-leaved
14	474 Rhodora, Canadian.
16	560 Robinia, clammy.
9	311 —— rough-stalked.
19	730 Rocket, night-smelling.
11	378 Roella, prickly.
—	363 Rose, austrian.
8	284 —— everblowing.
2	69 —— moss.
12	407 —— pompon.
9	311 Rose, acacia.
1	24 Rose-campion, common.
9	295 —— —— smooth-leaved
12	398 —— —— umbellied.
1	2 Rudbeckia, purple.
2	45 Saffron, <i>vide</i> Crocus.
6	182 Sage, golden.
11	395 —— Indian.
—	376 —— shining-leaved.
16	550 Samyda, rose-coloured.
5	162 Sanguinaria, Canadian or Puccoon.
19	739 Sansevieria, Chinese.
3	92 Saxifrage, Chinese.
6	196 —— oval leaved.
12	424 —— round-leaved.
10	351 —— saffron-coloured.
7	247 Scabious, sweet.

Vol.	Page		Vol.	Page	
17	635	Scutellaria, large-flowered.	5	166	S— dwarf annual.
6	186	Selago, oval-headed.	6	211	Stonecrop, poplar-leaved.
10	337	Self-heal, great-flowered.	2	63	Strawberry, one-leaved.
13	445	Senna, scorpion.	4	119	} Strelitzia, canna-leaved.
10	330	Sida, crested.	—	120	
20	780	Side-saddle-flower, yellow.	7	222	Struthiola, smooth.
3	94	Sisyrinchium, broad-leaved.	1	35	Succory hawk-weed, purple-eyed.
13	464	— grass-leaved.	7	227	Sun-flower, perennial.
10	348	Slipper-wort, Fothergill's.	6	205	Sweet William.
2	41	— pinnated.	11	391	Syringa, common.
19	722	Snake-gourd.	5	150	Tagetes, spreading or French marigold.
		Snapdragon, <i>vide</i> Toad-flax.	20	740	— sweet-scented, or Chili marigold.
2	46	Snow-flake, spring.	6	212	Tansy, fan-leaved.
5	154	Soap-wort, Basil.	18	656	Thrift, plantain-leaved.
2	49	Soldanella, alpine.	2	71	— scollop-leaved.
15	510	Solomon's-seal, least.	15	532	Tiger-flower, Mexican.
5	167	Sophora, winged-podded.	6	207	Toad-flax, alpine.
		Sophora, <i>vide</i> Podalyria.	—	200	— branching.
15	548	Sparaxis, ringent.	16	368	— clammy.
20	779	— streaked-flowered.	3	74	— melancholy.
15	545	— sulphur-coloured.	—	99	— purple.
11	381	— three-coloured.	15	525	— three-bird-bearing.
16	549	— velvet-flowered.	9	324	— three-leaved.
15	516	Sparmannia, african.	18	673	Tobacco, New-Holland.
7	242	Speedwell, cross-leaved.	16	557	Trefoil, bay-coloured.
3	105	Spider-wort, virginian.	10	328	— crimson.
		Spigelia, <i>vide</i> Worm-grass.	16	575	Trichonema, channel-leaved.
14	489	Spiræa, three-leaved.	8	265	— rose-coloured.
10	341	Squill, Byzantine.	2	40	Trillium, sessile-flowered.
20	749	— corymbose.	14	470	— upright.
18	663	— Italian.	20	744	Tritoma, glaucous-leaved.
4	127	— Spanish.	—	764	— lesser.
20	746	— two-leaved.	—	758	— serrulate-leaved.
18	666	Stachys, scarlet.	17	622	Tritonia, copper-coloured.
15	505	Stapelia, freckled.	18	678	— curled-leaved.
16	585	— great-flowered.	11	383	— hatchet-flowered.
19	724	— revolute-flowered.	17	609	— late-flowering.
15	536	Star-fish.	8	256	— long-tubed.
17	619	— starry.	17	618	— long-tured.
1	26	— variegated.	19	704	— open-flowered.
20	786	— warty-flowered.	14	487	— pencilled.
18	662	Star-hypoxis, yellow-flowered	6	184	— saffron-coloured.
6	190	Star of Bethlem, golden.	16	581	— sweet-scented.
10	728	— large-flowered.	14	485	Trumpet-flower, ash-leaved.
8	269	— Neapolitan.	19	717	Tulip, Cape.
18	653	— revolute-fl.	8	275	Tulip-tree, common.
6	199	Starwort, alpine.	281	Turnera, narrow leaved.	
1	34	— bristly-leaved or dwarf.	—	141	Turnsole, Peruvian.
10	334	St. John's-wort, Chinese.	4		Tutsan, <i>vide</i> St. John's-wort.
5	146	— great-flowered or tutsan.	19	714	Valerian, Siberian.
—	178	— heath-leaved.	14	501	Veltheimia, waved-leaved.
4	137	— warty.			Venus's looking-glass, <i>vide</i> bell-flower.
6	195	Stock, changeable.			
19	729	— dark-flowered.			

<i>Vol.</i>	<i>Page</i>
9	308 Vervain, rose.
11	367 —— three-leaved.
3	89 Violet, cut-leaved.
15	535 —— palmated.
4	142 Vipers-grafs, poppy-leaved.
15	530 Virgin's-bower, Austrian.
2	65 ———— entire-leaved.
16	565 ———— purple.
13	434 Umbrella-wort, viscid.
7	226 Wall-cress, alpine.
6	195 Wall-flower, changeable.
17	614 Wachendorfia, hairy.
—	616 ———— panicled.
16	552 Water-lily, blue.
18	684 ———— three-coloured.
15	533 Watsonia, aletris-like.
13	441 ———— dwarf.
15	523 ———— hollow-leaved.
17	631 ———— lake-coloured.
—	608 ———— long-spiked.
15	537 ———— long-tubed.

<i>Vol.</i>	<i>Page</i>
12	418 W—— Merian's.
17	600 ——— scarlet flag-leaved.
—	601 ——— short-leaved.
16	553 ——— small-flowered.
19	713 Whitlow-grass, mountain.
5	170 ——— sengreen.
3	76 Willow-herb, narrow-leaved.
20	778 Winter-green, umbellied.
7	237 Wood-sorrel, nodding-flow ^d .
5	155 ———— striped-flower ^d .
3	80 Worm-grass, Maryland.
20	776 Xeranthemum, brown-tipped
12	420 ———— elegant.
—	414 ———— great yellow-flowered.
20	763 ———— straw-colour ^d
12	425 ———— superb.
5	149 Zinnia, many-flowered.
16	555 ——— slender-flowered.
15	527 ——— violet-coloured.





An ENUMERATION of the Plants figured in the first Twenty Volumes of the BOTANICAL MAGAZINE*.

Volume	Fasciculus†	Number
I.	1	1
Feb.		
1787.		

March

2

IRIS persica..... Persian Iris, or Flag.
That the sense of smelling, with regard to agreeable and disagreeable, is very various in different persons, the experience of every day proves; but it appears more extraordinary, that there are certain odours, which whilst they seem powerful to the organs of one person are not at all perceptible by those of another, in whom the sense of smelling with respect to other substances is not less acute. We know no flower that illustrates this remark so well as the Persian Iris, which to some persons is so powerfully fragrant, that a single plant, when exposed to the rays of the sun, will sensibly perfume a whole apartment, and yet to many, perhaps to nearly an equal number, it is absolutely scentless; at the same time, odours supposed by the former to be much weaker are readily perceived by the latter, as we have repeatedly experienced.

2 Rudbeckia purpurea..... Purple Rudbeckia.
3 Helleborus hyemalis Winter Hellebore, or Aconite.

4 Cyclamen Coum Round-leaved Cyclamen.
5 Erythronium Dens Canis. Dogs-tooth, or Dogs-tooth Violet.

6 Narcissus minor Least Daffodil.

* Such an Enumeration as this, denoting the order and the time of publication, is not altogether useless, even to those who bind up their volumes in the same order; but to those who choose to arrange the work systematically, must be indispensable; for, when the numerical order is disturbed, without such a guide all reference to numbers becomes unintelligible. Another motive for giving it here has been, the opportunity it affords of correcting some errors, which in so extensive a work have unavoidably crept in, of adopting such changes in the nomenclature as have been made in the progress of the science, and of making some useful additions. It is proper to remark, that the names given in this Enumeration are either those which are in most use amongst Botanists of the first authority, particularly such as are adopted in the Hortus Kewensis and Willdenow's Species Plantarum, or those which have been necessarily changed as the genera have become better ascertained. Where these are different from those adopted at the time of publication the latter are repeated within brackets. With respect to the English names, those are here given which are in most general use, but without noting the changes made; the almost universal custom of using the Botanical names having rendered the English ones of less importance.

† To avoid confusion, we use the word *Fasciculus*, to denote the quantity published "at one time: and when *Number* is referred to, it always means the number of the plate or the text accompanying it.

Vol.	Fasc.	No.	
April	3	7	<i>Cynoglossum Omphalodes</i> ... Blue Navel-wort.
		8	<i>Helleborus niger</i> Black Hellebore, or Christmas Rose.
May	4	9	<i>Iris pumila</i> Dwarf Flag.
		10	<i>Anemone Hepatica</i> Hepatica, or Noble Liver-wort
		11	<i>Erica herbacea</i> Herbaceous Heath.
		12	<i>Dodecatheon Meadia</i> Mead's Dodecatheon, or American Cowslip.
June	5	13	<i>Coronilla glauca</i> Sea-green or Day-smelling Coronilla.
		14	<i>Primula villosa</i> Mountain Primrose;
		15	<i>Narcissus Jonquilla</i> Common Jonquil.
		16	<i>Iris variegata</i> Varigated Flag.
		17	<i>Caetus flagelliformis</i> Creeping Cereus.
July	6	18	<i>Erodium Chamædryoides</i> Dwarf Crane's-bill. [<i>Geranium Reinhardi</i> .]
			It was after the publication of this number, that L'Heritier's Geraniologia first appeared, in which work that eminent Botanist divided the overgrown genus of Geranium into three, under the names of Erodium, Pelargonium, and Geranium, as had been before proposed by Prof. Burman. As this division, though not adopted by either Jussieu or Schreber, in their respective works on the Genera Plantarum, is at present, from the example and authority of the Hottus Kewensis, generally followed in this country and also on the continent, we shall here give the generic and specific characters of this plant from the latter work.
			<i>Generic Character.</i> — <i>Cal.</i> 5-phyllo. <i>Cor.</i> 5-petala. <i>Nect.</i> squamulæ 5 cum filamentis alternantes; et glandulæ melliferæ basi staminum insidentes. <i>Fructus</i> 5-coccus, rostratus: rostra spiralia introrsum barbata.
August	7	19	<i>Specific Character.</i> — ERODIUM <i>chamædryoides</i> ; sub-acaule, pedunculis unifloris; foliis cordatis obtusis crenatis. <i>L'Herit.</i> n. 31. t. 6. <i>Hort. Kew.</i> v. 2. p. 416. <i>Hemerocallis flava</i> Yellow Day Lily.
		20	If the observation of Miss Ann Welch, recorded in the second volume of the Transactions of the Linnæan Society should be confirmed by future experience, there will remain no doubt but that this plant is a mere accidental variety of <i>Hemerocallis fulva</i> , No. 64, but we cannot believe but that there must have been some mistake.
			<i>Pelargonium peltatum</i> Ivy-leaved Crane's-bill. [<i>Geranium peltatum</i> .]
			Another of L'Heritier's divisions of the old genus <i>Geranium</i> , containing most of the African species. This number should be corrected as follows:
			<i>Generic Character.</i> — <i>Cal.</i> 5-partites: lacinia suprema desinente in tubulum-capillarem, nectariferum, secus pedunculum decurrentem. <i>Cor.</i> 5-petala, irregularis. <i>Filum.</i> 1c, inæqualia: quorum 3 (raro 5) castrata. <i>Fructus</i> 5-coccus, rostratus: rostra spiralia, introrsum barbata.
			<i>Specific Character.</i> — PELARGONIUM <i>peltatum</i> ; umbellis paucifloris, quinquelobis integerrimis carnis: peltatis, ramis angulatis. <i>L'Herit.</i> n. 73. <i>Hort. Kew.</i> 2. p. 427. <i>Iris versicolor</i> Particoloured Flag.
		21	

ENUMERATION.

Vol.	Fasc.	No.	
I.	8	22	<i>Nigella damascena</i>Garden Fennel-flower, or Love in a Mist. The synonym of Parkinson belonging to <i>Nigella hispanica</i> ought to be omitted here, and <i>Müller Icon.</i> 187. f. 2. may be inserted in its stead.
Sept.		23	<i>Tropaeolum majus</i>Greater Indian Cress, or Nasturtium.
		24	<i>Agrostemma Coronaria</i>Common red Rose Campion, or Cockle.
Oct.	9	25	<i>Dianthus chinensis</i>Chinese or Indian Pink.
		26	<i>Stapelia variegata</i>Variegated Stapelia.
		27	<i>Convolvulus tricolor</i>Trailing Bindweed, or <i>Convolvulus minor</i> .
Nov.	10	28	<i>Passiflora cærulea</i>Common Passion-flower.
		29	<i>Reseda odorata</i>Sweet-scented Reseda, or Mignonette.
		30	<i>Lilium chalcedonicum</i>Scarlet Martagon Lily.
Dec.	11	31	<i>Jasminum officinale</i>Common white Jasmine. Vahl. Enum. 3.
		32	<i>Mesembryanthemum dolabriiforme</i>} Hatchet-leaved Fig-Marigold.
		33	<i>Aster tenellus</i>Bristly-leaved or dwarf Starwort.
Jan.	12	34	<i>Browallia elata</i>Tall Browallia.
1788.		35	<i>Crepis barbata</i>Bearded Crepis, or Purple-eyed Succory-Hawkweed.
		36	<i>Lilium bulbiferum</i>Orange Lily.
II.	13	37	<i>Chironia frutescens</i>Shrubby Chironia.
Feb.		38	<i>Viburnum Tinus</i>Common Laurustinus.
		39	<i>Dianthus caryophyllus, v. flore pleno</i> } Franklin's Tartar Carnation.
March	14	40	<i>Trillium sessile</i>Sessile-flowered Trillium.
		41	<i>Calceolaria pinnata</i>Pinnated Slipper-wort.
		42	<i>Camellia japonica</i>Rose Camellia.
April	15	43	<i>Cistus incanus</i>Hoary or Rose Cistus.
		44	<i>Cyclamen persicum</i>Persian Cyclamen.
		45	<i>Crocus mæsiacus</i>Common yellow Crocus. [<i>Crocus vernus</i> .]
			For the reason of the change made in this name, consult No. 652, and Annals of Botany, v. 1. p. 222. and make the following alteration in the
			<i>Specific Character and Synonyms.</i>
			<i>CROCUS mæsiacus</i> bulbo-tubere grandiore polyanthro, tunicis obtecto badiis fibroso-membranaceis; ore tubi nudo, antheris stigmata nonnihil excedentibus. G.
			<i>CROCUS vernus luteus</i> sive <i>mæsiacus</i> . Park. Par. 166. t. 169. f. 1. C. <i>vernus latifolius</i> flavo flore. Clus. Hist. 205.
			According to Clusius, this species was first brought into Germany about the year 1579 from the environs of Belgrade, by one of the suite of an Imperial Embassy, on its return to Vienna from Constantinople. G.
May	16	46	<i>Leucojum vernum</i>Spring Snow-flake.
		47	<i>Amaryllis formosissima</i>Jacobea Lily.
		48	<i>Narcissus triandrus</i>Reflexed or Rush-leav'd Daffodil
June	17	49	<i>Soldanella alpina</i>Alpine Soldanella.
		50	<i>Iris sibirica</i>Siberian Flag.

ENUMERATION.

23

<i>Vol.</i>	<i>Fasc.</i>	<i>No.</i>	
II.	17	51	<i>Narcissus bicolor</i>Great Daffodil. [<i>N. major.</i>]
July	18	52	<i>Gentiana acaulis</i>Large-flowered Gentian, or Gentianella.
		53	<i>Cineraria lanata</i>Woolly Cineraria.
		54	<i>Anemone sylvestris</i>Large white-flowered Wood Anemone.
August	19	55	<i>Geranium striatum</i>Streaked Crane's-bill, or La- dy's Needle-work.
		56	<i>Pelargonium glaucum</i>Spear-leaved Crane's-bill. [<i>P. lanceolatum.</i>]
			Notwithstanding that Cavanille's name of <i>lanceolatum</i> was adopted in preference to that of <i>glaucum</i> , yet as this has not been followed by others, and the latter has been admitted to the Hortus Kewensis and Willdenow's Species Plantarum, we submit to such authorities. To the synonyms should be added, <i>Geranium lanceolatum</i> . <i>Cavan. Diff.</i> 4. p. 235. t. 102. f. 2. <i>Diff.</i> 5. p. 271.
Sept.	20	57	<i>Papaver orientale</i>Eastern Poppy.
		58	<i>Iris spuria</i>Spurious Flag.
		59	<i>Mesembryanthemum bico-</i> } Two-coloured Fig-Marigold. <i>lorum</i>
Oct.	21	60	<i>Lathyrus odoratus</i>Purple Sweet-pea or Vetchling.
		61	<i>Iris ochroleuca</i>Tall Flag.
		62	<i>Centaurea glastifolia</i>Woad-leaved Centaury.
		63	<i>Fragaria monophylla</i>One-leaved Strawberry, or Strawberry of Versailles.
Nov.	22	64	<i>Hemerocallis fulva</i>Tawny Day-Lily.
		65	<i>Clematis integrifolia</i>Entire-leaved Virgin's-Bower.
		66	<i>Passiflora alata</i>Winged-stalked Passion-flower.
Dec.	23	67	<i>Mesembryanthemum pin-</i> } Pinnated Fig-Marigold. <i>natifidum</i>
		68	<i>Sempervivum arachnoideum</i>Cobweb House-leek.
		69	<i>Rosa muscosa</i>Moss Rose.
Jan.	24	70	<i>Mesembryanthemum bar-</i> } Bearded Fig-Marigold. <i>batum</i>
1789.		71	<i>Statice pinnata</i>Scallop-leaved Thrift.
		72	<i>Helleborus lividus</i>Great three-leaved black Hel- lebore.
III.	25	73	<i>Mensonia speciosa</i>Large-flowered Mensonia.
Feb.			Cavanilles has removed this genus from Polyadelphia to Monadelphia Dodecandria, an amendment now generally adopted, and fortunately it is thus brought into the same class with most of the other Gruinales or Gerania.
		74	<i>Antirrhinum triste</i>Melanchoiy or black-flowered Toad-Flax.
		75	<i>Potentilla grandiflora</i>Great-flowered Cinque-foil.
March	26	76	<i>Epilobium angustifolium</i>Narrowest-leaved Willow-herb
		77	<i>Centaurea montana</i>Mountain Centaury, or greater Blue-bottle.
		78	<i>Narcissus odorus</i>Sweet-scented or great Jonquil.
April	27	79	<i>Lotus jacobaeus</i>Dark-flowered Bird's-foot- Trefoil.
			This plant sometimes occurs with yellow flowers and is then called in the nurseries <i>Lotus hybridus</i> , but is a mere seminal variety.

ENUMERATION.

Vol.	Fasc.	No.	
III.	27	80	<i>Spigelia marilandica</i> Maryland Spigelia, or Worm-Grafs.
May	28	81	<i>Colutea arborescens</i> Common Bladder-senna.
		82	<i>Lachenalia tricolor</i> Three-coloured Lachenalia.
		83	<i>Hibiscus syriacus</i> Syrian Hibiscus, or Althaea Frutex.
June	29	84	<i>Tussilago alpina</i> Alpine Coltsfoot.
		85	<i>Spartium junceum</i> Spanish Broom.
		86	<i>Gladiolus communis</i> Common Corn-flag. Consult No. 719 of this work.
July	30	87	<i>Hyoscyamus aureus</i> Golden-flowered Hen-bane.
		88	<i>Narcissus Bulbocodium</i> Hoop-Petticoat Daffodil.
		89	<i>Viola pedata</i> Cut-leaved Violet.
			The whole order of Syngenesia Monogamia is now generally abolished and the genera removed to other classes, by which alteration <i>Viola</i> is added to Pentandria Monogynia, unluckily the largest order in the system; but it, by these means, associates with plants with which it has a nearer natural affinity.
August	31	90	<i>Gorteria rigens</i> Rigid-leaved Gorteria.
		91	<i>Iris susiana</i> Chalcedonian Flag.
		92	<i>Saxifraga farmentosa</i> China Saxifrage.
		93	<i>Sempervivum monanthes</i> Clustered House-leek.
Sept.	32	94	<i>Sisyrinchium Bermudiana</i> Broad-leaved Sisyrinchium. [<i>Sisyrinchium iridioides</i> .]
			<i>Sisyrinchium Bermudiana</i> of Hortus Kewensis is the gramineum.—The perusal of what is said at No. 464, and Annals of Botany, v. 1. p. 216. will explain the change of name.
		95	<i>Pelargonium Radula</i> Rasp-leaved Crane's-bill.
			[<i>Geranium Radula</i> .] <i>Vide Enum.</i> No. 20.
		96	<i>Lantana aculeata</i> Prickly Lantana.
		97	<i>Fuchsia coccinea</i> Scarlet Fuchsia.
		98	<i>Tropaeolum minus</i> Small Indian Cress or Nasturtium.
		99	<i>Antirrhinum purpureum</i> Purple Toad-flax.
Nov.	34	100	<i>Lathyrus tingitanus</i> Tangier Pea.
		101	<i>Alyssum maritimum</i> Sweet Alyssum. [<i>Alyssum halimifolium</i> .]
			In this instance Mr. Curtis has been led into an error by following an authority which will rarely indeed mislead, such is the extraordinary accuracy of the Hortus Kewensis. This figure represents the <i>Clypeola maritima</i> of Linnæus; in Willdenow's edition of the Species Plantarum removed to the genus <i>Alyssum</i> , to which Linnæus observes it might be joined, as it differs only in having toothless filaments. The specific character may remain as it is, but the synonyms, except that of Hortus Kewensis, should be cancelled and in their place added <i>Willd. Spec. Pl.</i> 3. 459. where the other synonyms are collected, and need not be repeated here.
Dec.	35	102	<i>Campanula Speculum</i> Venus's Looking-glass.
		103	<i>Pelargonium acetosum</i> Sorrel Crane's-bill.
		104	<i>Lysimachia stricta</i> Upright or Bulb-bearing [<i>L. bulbifera</i> .] Loose-trife.
		105	<i>Tradescantia virginica</i> Virginian Spider-wort.

Vol.	Fasc.	No.	
III.	36	106	<i>Iberis umbellata</i> Purple Candy-tuft.
Jan.		107	<i>Cassia Chamæcrista</i> Dwarf Cassia.
1790.		108	<i>Anthyllis tetraphylla</i> Four-leaved Kidney-Vetch.
IV.	37	109	<i>Lavatera trimestris</i> Annual Lavatera.
Feb.		110	<i>Mimosa verticillata</i> Whorl-leaved Mimosa.
		111	<i>Lathyrus tuberosa</i> Tuberous Lathyrus.
March	38	112	<i>Cistus ladaniferus</i> Gum Cistus.
		113	<i>Convolvulus purpureus</i> Purple Bindweed, or Convolvulus major.
		114	<i>Silene pendula</i> Pendulous Catch-fly.
April	39	115	<i>Lathyrus sativus</i> Blue-flowered Lathyrus or Chickling-Vetch.
		116	<i>Limodorum tuberosum</i> Tuberous-rooted Limodorum.
		117	<i>Campanula carpatica</i> Carpathian or heart leaved Bell-flower.
May	40	118	<i>Sedum Anacampseros</i> Evergreen Orpine.
		119	} <i>Strelitzia Reginæ</i> Canna-leaved Strelitzia.
		120	
June	41	121	<i>Narcissus incomparabilis</i> Peerless Daffodil.
		122	<i>Muscari racemosum</i> Starch-scented Grape-Hyacinth. [<i>Hyacinthus racemosus</i> .]
		123	<i>Anemone hortensis</i> Star Anemone.
July	42	124	<i>Iberis gibraltarica</i> Gibraltar Candy-tuft.
		125	<i>Alstroemeria Ligula</i> Striped-flowered Alstroemeria. — <i>caryophyllæa</i> . <i>Hort. Schoenb.</i> v. 4. <i>inedit.</i>
		126	<i>Alyssum deltoideum</i> Purple Alyssum.
August	43	127	<i>Scilla campanulata</i> Spanish Squil. In some copies the letter-press is numbered by mistake 128.
		128	<i>Ixia hybrida</i> Hybrid Ixia. [<i>I. flexuosa</i> .] The real <i>Ixia flexuosa</i> is figured No. 624, which see. The letter-press in some copies is by mistake numbered 127.
		129	<i>Amaryllis vittata</i> Superb Amaryllis.
Sept.	44	130	<i>Alyssum utriculatum</i> Bladder-podded Alyssum or Mad-wort.
		131	<i>Catesbæa spinosa</i> Thorny Catesbæa, or Lily-thorn.
		132	<i>Rubus arcticus</i> Dwarf Bramble.
Oct.	45	133	<i>Muscari comosum</i> Tassel-flowered Grape-Hyacinth. [<i>Hyacinthus comosus</i> .] Vide No. 734.
		134	<i>Adonis vernalis</i> Perennial or Spring-Adonis.
		135	<i>Gladiolus cardinalis</i> Superb Corn-flag.
Nov.	46	136	<i>Pelargonium tetragonum</i> Square-stalked Crane's-bill.
		137	<i>Hypericum balearicum</i> Warty St. John's-wort.
		138	<i>Kalmia hirsuta</i> Hairy Kalmia.
Dec.	47	139	<i>Alstroemeria Pelegrina</i> Spotted-flowered Pelegrina.
		140	<i>Lupinus luteus</i> Common yellow Lupin.
		141	<i>Heliotropium peruvianum</i> Peruvian Turnsole.
Jan.	48	142	<i>Scorzonera tingitana</i> Poppy-leaved Viper's-grass.
1791.		143	<i>Pelargonium glutinosum</i> Clammy Crane's-bill.
		144	<i>Ferraria undulata</i> Curled-flowered Ferraria. For a more particular generic character consult No. 751.

ENUMERATION.

<i>F.J.</i>	<i>Fasc.</i>	<i>No.</i>	
V.	49	145	<i>Monarda fistulosa</i> , v. <i>coccinea</i> , Crimson Monarda. Vahl. Enum. p. 217.
Feb.		146	<i>Hypericum calycinum</i>Great-flowered St. John's-wort or Tutsan.
March	50	147	<i>Dais cotinifolia</i>Cotinus-leaved Dais.
		148	<i>Pelargonium betulinum</i>Birch-leaved Crane's-bill.
		149	<i>Zinnia multiflora</i>Many-flowered Zinnia.
		150	<i>Tagetes patula</i>French Marigold.
April	51	151	<i>Lotus tetragonolobus</i>Winged Lotus.
		152	<i>Epidendrum fragrans</i>Sweet-scented Epidendrum. [<i>Epid. cochleatum</i> .]
			The true <i>E. cochleatum</i> is figured at No. 572, which consult. Mr. Curtis not having, at the time of the publication of this, ever seen the <i>cochleatum</i> in flower, though the plant had been some time in our gardens, supposed this to be the same, and that its coming up with only one leaf was owing to an accidental mutilation, having never observed it otherwise than with two; but the <i>fragrans</i> has only one leaf, and the second in the figure has been added by mistake.
May	52	153	<i>Bulbocodium vernum</i>Vernal Bulbocodium.
		154	<i>Saponaria ocymoides</i>Basil Soap-wort.
		155	<i>Oxalis versicolor</i>Striped-flowered Wood-sorrel.
		156	<i>Coreopsis verticillata</i>Whorled Coreopsis.
			There are two varieties of this plant common in our gardens; the smaller sort, seldom reaching the height of two feet, is better adapted to the flower garden, of which, from the brilliancy of its flowers and the delicacy of its foliage, it is a desirable inmate.
June	53	157	<i>Muscari botryoides</i>Sky-colour'd Grape-Hyacinth. [<i>Hyacinthus botryoides</i> .] <i>Vide</i> No. 734.
		158	<i>Hibiscus Rosa sinensis</i>China-Rose Hibiscus.
		159	<i>Alyssum saxatile</i>Yellow Alyssum.
July	54	160	<i>Pulmonaria virginica</i>Virginian Lung-wort.
		161	<i>Amygdalus Nana</i>Dwarf Almond.
		162	<i>Sanguinaria canadensis</i>Canadian Sanguinaria, or Puccoon.
August	55	163	<i>Phlox divaricata</i>Early-flowering Lychnidea.
		164	<i>Ranunculus gramineus</i>Grafs-leaved Crow-foot.
		165	<i>Pelargonium cordifolium</i>Heart-leaved Crane's-bill.
Sept.	56	166	<i>Cheiranthus maritimus</i>Dwarf Annual Stock.
		167	<i>Sophora tetaptera</i>Winged-podded Sophora.
		168	<i>Moræa tricuspis</i> , var. βAzure-eyed Moræa.
			[<i>Iris Pavonia</i> .] That this was not the <i>Iris Pavonia</i> of Thunberg, Mr. Curtis suspected at the time of publication, but, struck with the similarity of the eye at the base of the petal to that in the peacock's wing, he seemed to think it impossible that the name could be so applicable to any other species. Consult No. 696, and Annals of Botany, v. 1. p. 238.
Oct.	57	169	<i>Ixora coccinea</i>Scarlet Ixora.
		170	<i>Draba aizoides</i>Sengreen Whitlow-graſs.
		171	<i>Pardanthus chinensis</i>Chinese Pardanthus.
			[<i>Ixia chinensis</i> .]
			Generic Character.— <i>Inflorescentia fasciculata</i> . Cor. sex-partita, regularis, æqualis, stellato-explanata. Stam. recta, aliquantulum inclinata, divergentia: Antheræ subconflexæ.

ENUMERATION.

27

Vol.	Fasc.	No.	
			<i>Pist.</i> his subæquale : <i>Stigm.</i> 3, involutim et cucullatim complicata, bilabiata imminuto petaliformia. <i>Sem.</i> plurima, biserialia, baccata, globosa, receptaculo centrali libero annexa. <i>G.</i> Vide Annals of Botany, v. 1. p. 416.
V. Nov.	58	172	<i>Lamium Orvala</i> Balm-leaved Archangel.
		173	<i>Aitonia capensis</i> Cape Aitonaria.
		174	<i>Buddleia globosa</i> Round-headed Buddleia.
Dec.	59	175	<i>Kalmia latifolia</i> Broad-leaved Kalmia.
		176	<i>Cytisus Laburnum</i> Common Laburnum.
		177	<i>Kalmia glauca</i> Glaucous Kalmia.
			This ought to have been numbered 176, and <i>Cytisus Laburnum</i> 177. Otherwise the letter-press becomes awkwardly divided.
Jan. 1792.	60	178	<i>Hypericum Coris</i> Heath-leaved St. John's-wort.
		179	<i>Fumaria glauca</i> Glaucous Fumitory.
		180	<i>Azalea nudiflora</i> , &c. <i>coccinea</i> . Scarlet Azalea.
VI. Feb.	61	181	<i>Colutea frutescens</i> Scarlet Bladder-senna.
		182	<i>Salvia aurea</i> Golden Sage.
		183	<i>Syringa vulgaris</i> Common Lilac.
			The quotation from Gerard, referring to the smell, belongs to <i>Philadelphus coronarius</i> , No. 391, which, both by him and Parkinson, is called <i>Syringa</i> , and this circumstance led to the mistake. Mr. Curtis's correction of this error, published soon after, being printed on a slip of paper, it is apprehended, may have been frequently neglected by the bookbinders.
March	62	184	<i>Tritonia crocata</i> Saffron-coloured Tritonia.
			[<i>Ixia crocata</i> .] Vide No. 581 and 609; also, Annals of Botany, v. 1. p. 225.
		185	<i>Coronilla valentina</i> Rue-leaved Coronilla.
		186	<i>Selago ovata</i> Oval-headed Selago.
April	63	187	<i>Iris sambucina</i> Elder-scented Flag.
			Vide No. 685.
		188	<i>Convolvulus Nil</i> Azure Convolvulus.
		189	<i>Erica grandiflora</i> Great-flowered Heath.
May	64	190	<i>Ornithogalum aureum</i> Golden Star of Bethlehem.
			Willdenow, who has adopted our name, makes three other varieties, viz. the <i>miniatum</i> , <i>flavescens</i> , and <i>flavissimum</i> , of Jacquin.
		191	<i>Primula marginata</i> Silver-edged Primula.
		192	<i>Cypripedium acaule</i> Two-leaved Lady's-Slipper.
June	65	193	<i>Narcissus angustifolius</i> Narrow-leaved Narcissus.
			— <i>majalis</i> <i>biflorus</i> . Vide No. 197.
			The <i>angustifolius</i> only is here figured.
		194	<i>Fritillaria Imperialis</i> Crown-Imperial.
		195	<i>Cheiranthus mutabilis</i> Changeable Wall-flower, or Broad-leaved shrubby stock.
July	66	196	<i>Saxifraga crassifolia</i> Oval-leaved Saxifrage.
		197	<i>Narcissus biflorus</i> Two-flowered Narcissus.
		198	<i>Indigofera candidans</i> White-leaved Indigo.
August	67	199	<i>Aster alpinus</i> Alpine Star-wort.
		200	<i>Antirrhinum sparteum</i> Branching Toad-flax.
		201	<i>Pelargonium bicolor</i> Two-coloured Crane's-bill.
		202	<i>Lupinus perennis</i> Perennial lupine.
Sept.	68	203	<i>Geranium angulatum</i> Angular-stalked Crane's-bill.

ENUMERATION.

Vol.	Fasc.	No.	
VI.	68	204	<i>Ranunculus aconitifolius</i> , } Mountain Crow-foot, or Fair var. <i>flore pleno</i> } Maids of France.
Oct.	69	205	<i>Dianthus barbatus</i> Sweet-William.
		206	<i>Geranium anemonifolium</i> ... Anemone-leaved Crane's-bill.
		207	<i>Antirrhinum alpinum</i> Alpine Toad-flax.
Nov.	70	208	<i>Melissa grandiflora</i> Great-flowered balm.
		209	<i>Hibiscus Trionum</i> Bladder Hibiscus, or Venice Mallow.
	210		It is probable that the seeds of this plant, like those of Mustard, if buried to a certain depth in the ground, will remain for many years in a state fit for vegetation, when accident brings them near the surface. It is in this way that we account for what we have known repeatedly to happen, that this flower has appeared spontaneously in gardens, where no recollection of it remained, and it certainly had not been seen for many years. <i>Hemimeris linearis</i> Linear-leaved Hemimeris. [<i>Celsia linearis</i> .]
			Misled by the authority of Jacquin, Curtis retained his name of <i>Celsia</i> to this plant, though not without remarking its disagreement with the character of that genus. Willdenow has added it to <i>Hemimeris</i> , with which it certainly corresponds better, yet we suspect it will be hereafter found to be distinct from both.
			<i>Generic Character.</i> — <i>Cal.</i> 5-partitus. <i>Cor.</i> rotata, 5-lobata, inæqualis : lobis medio excavatis nectariferis, lacinia una majorie obcordata. <i>Filam.</i> glabra. <i>Antheræ</i> cor-datæ connatæ. <i>Stigm.</i> 1. <i>Caps.</i> 2-locularis loculo altero gibboiore.
Dec.	71	211	<i>Hemimeris coccinea</i> . <i>Willd. Sp. Pl.</i> 3. p. 283.
		212	<i>Sedum populifolium</i> Poplar-leaved Stone-crop.
		213	<i>Tanacetum flabelliforme</i> Fan-leaved Tansy.
Jan.	72	214	<i>Polygonum orientale</i> Tall Persicaria.
1793.		215	<i>Dracocephalum denticulatum</i> . Toothed Dragon's-head.
VII.		216	<i>Ranunculus acris</i> , var. <i>f. pl.</i> Double upright Crow foot.
Feb.	73	217	<i>Cypripedium album</i> White-petalled Ladies-slipper.
		218	<i>Buchnera viscosa</i> Clammy Buchnera.
		219	<i>Disandra prostrata</i> Trailing Disandra.
March	74	220	<i>Michauxia campanuloides</i> ... Rough-leaved Michauxia.
		221	<i>Erica cerinthoides</i> Honeywort-flowered Heath.
		222	<i>Ipomœa coccinea</i> Scarlet Ipomœa.
April	75	223	<i>Struthiola erecta</i> Smooth Struthiola.
		224	<i>Lychnis coronata</i> Chinese Lychnis.
		225	<i>Phylica ericoides</i> Heath-leaved Phylica.
May	76	226	<i>Lobelia surinamensis</i> Shrubby Lobelia.
		227	<i>Arabis alpina</i> Alpine Wall-Cress.
		228	<i>Helianthus multiflorus</i> Perennial sun-flower.
June	77	229	<i>Bellis perennis</i> , var. <i>flore pleno</i> . Great double Daisy.
			<i>Primula acaulis</i> , var. <i>f. pl.</i> } Double Lilac Primrose. carnea }
		230	<i>Plumbago rosea</i> Rose-coloured Lead-wort.
		231	<i>Fumaria solida</i> Solid-rooted Fumitory.
			<i>Clave and Order.</i> — <i>Diadelphia</i> <i>Alexandria</i> . [Misprinted Pentandria.]
July	78	232	<i>Fumaria cava</i> Hollow-rooted Fumitory.
			<i>Fumaria bulbosa</i> . <i>Willd. Sp. Pl.</i> 2. p. 860.

ENUMERATION.

29

Vol.	Fasc.	No.	
VII.	78	233	<i>Chironia baccifera</i> Berry-bearing Chironia.
		234	<i>Linum arboreum</i> Tree-Flax.
August	79	235	<i>Trollius asiaticus</i> Asiatic Globe-Flower.
		236	<i>Verbascum Myconi</i> Borage-leaved Mullein.
		237	<i>Oxalis cernua</i> Nodding flower'd. Wood-sorrel <i>Specific Character and Synonyms.</i>
			OXALIS <i>cernua</i> ; foliis ternatis glabris, stylis brevissimis, filamentis interioribus æqualibus, floribus clausis cernuis, expansis erectis. <i>Jacq. Oxal. n. 16. p. 37. t. 6.</i>
			OXALIS <i>cernua</i> . <i>Willd. Sp. Pl. 2. p. 787. Mill. Icon.</i> <i>t. 195. f. 1. Thunb. Diff. n. 12. p. 14. t. 2. f. 2.</i>
			The flowers of Oxalis caprina, according to Jacquin, are violet-coloured with a yellow bottom; the filaments hairy.
Sept.	80	238	<i>Senecio elegans</i> , var. <i>fl. pl.</i> Double Purple Groundsel.
		239	<i>Amaryllis Atamasco</i> Atamasco Lily.
		240	<i>Pelargonium tricolor</i> Three coloured Crane's-bill.
Oct.	81	241	<i>Fagonia cretica</i> Cretian Fagonia.
		242	<i>Veronica decussata</i> Cross-leaved Speedwell.
		243	<i>Argemone mexicana</i> Mexican Prickly-Poppy. Seen in London, by Camerarius, in 1592. <i>Vide Clas.</i> <i>Hist. 2. p. 93.</i>
Nov.	82	244	<i>Ipomæa Quamoclit</i> Winged-leaved Ipomæa.
		245	<i>Teucrium latifolium</i> Broad leaved shrubby Ger- mander.
		246	<i>Aquilegia canadensis</i> Canadian Columbine.
Dec.	83	247	<i>Scabiosa atropurpurea</i> Sweet Scabious.
		248	<i>Vinca rosea</i> Madagascar Periwinkle.
		249	<i>Cineraria Amelloides</i> Blue Cineraria or Cape-aster.
Jan.	84	250	<i>Myrtus tomentosa</i> Woolly-leaved Myrtle.
1794.		251	<i>Allium descendens</i> Purple-headed Garlick. The name <i>descendens</i> we suppose was given to this species, from the circumstance of the flowers at the upper part of the capitulum expanding first, and those of the lower part in succession, contrary to the more usual order in plants of this family.
VIII.	85	252	<i>Campanula grandiflora</i> Great-flowered Bell-flower.
Feb.		253	<i>Lathyrus articulatus</i> Jointed-podded Lathyrus.
		254	<i>Lopezia mexicana</i> Mexican Lopezia. [<i>Lopezia racemosa</i> .] <i>Lopezia mexicana</i> . <i>Jacq. Collect. Sup. p. 3. Icon. v. 2.</i> <i>Vahl Enum. Pl.</i>
March	86	255	<i>Cytisus sessilifolius</i> Common Cytisus.
		256	<i>Tritonia longiflora</i> Long-tubed Tritonia. [<i>Ixia longiflora</i> .] <i>Vide N°. 591 & 609; also, Annals of</i> <i>Botany, vol. 1. p. 208.</i>
		257	<i>Lychnis chalcedonica</i> Scarlet Lychnis or Flower of Constantinople.
April	87	258	<i>Coronilla varia</i> Purple Coronilla.
		259	<i>Lilium Catesbaei</i> Catesby's Lily.
		260	<i>Metrosideros lanceolata</i> Harsh-leaved Metrosideros. [<i>M. citrina</i> .] <i>Met. lanceolata</i> ; foliis alternis lanceolatis mucronatis, floribus lateralibus confertis sessilibus pubes- centibus. <i>Smith in Act. Soc. Linn. v. 3. p. 272. Willd. Sp. Pl.</i> <i>2. p. 955.</i> —We submit to authority; but must still think there was no sufficient reason for changing the name of citrina first given to this plant by Dr. Solander, as appears

ENUMERATION.

Vol.	Fasc.	No.	
			by his own hand-writing affixed to the representation of this among the collection of drawings of Botany-Bay plants in the Banksian library, and thence adopted in this work.
VIII.	87	261	<i>Erodium incarnatum</i> Flesh-coloured Crane's-bill.
May	88	262	<i>Mesembryanthemum aureum</i> . Golden Fig-marigold.
		263	<i>Glycine bimaculata</i> Purple Glycine.
		264	<i>Cistus formosus</i> Beautiful Cistus.
			<i>Willd. Spec. Pl. 2. p. 1188.</i>
June	89	265	<i>Trichonema roseum</i> Rose-coloured Trichonema. [<i>Ixia Bulbocodium</i> .] Vide No. 575 and Annals of Botany, v. 1. p. 222.
		266	<i>Ranunculus amplexicaulis</i> Plantain-leaved Crow-foot.
		267	<i>Pyrus spectabilis</i> Chinese Apple-tree.
July	90	268	<i>Glycine rubicunda</i> Dingy-flowered Glycine.
		269	<i>Ornithogalum nutans</i> Neapolitan Star of Bethlehem.
		270	<i>Glycine coccinea</i> Scarlet Glycine.
August	91	271	<i>Cyrtanthus angustifolius</i> Narrow-leaved Cyrtanthus.
		272	<i>Gladiolus tristis</i> Square-leaved Corn-flag.
		273	<i>Diosma uniflora</i> One-flowered Diosma.
Sept.	92	274	<i>Borbonia crenata</i> Heart-leaved Borbonia.
		275	<i>Liriodendrum tulipifera</i> Common Tulip-tree.
		276	<i>Blitum virgatum</i> Strawberry Blite.
Oct.	93	277	<i>Mahernia pinnata</i> Winged Mahernia.
		278	<i>Lilium candidum</i> White Lily.
		279	<i>Plumeria rubra</i> Red Plumeria.
Nov.	94	280	<i>Apocynum Androfæmifolium</i> } Tutsan-leaved or fly-catching Dog's-bane.
		281	<i>Turnera angustifolia</i> Narrow-leaved Turnera.
		282	<i>Hedysarum obscurum</i> Creeping-rooted Hedyarum.
Dec.	95	283	<i>Mimulus ringens</i> Narrow-leav'd Monkey-flower.
		284	<i>Rosa semperflorens</i> Ever-blown Rose.
		285	<i>Jasminum odoratissimum</i> Yellow Indian Jasmine.
Jan.	96	286	<i>Portlandia grandiflora</i> Great-flowered Portlandia.
*795.		287	<i>Goodenia lœvigate</i> Smooth Goodenia.
		288	<i>Passiflora ciliata</i> Ciliated Passion-flower.
IX.	97	289	<i>Convolvulus linearis</i> Narrow-leaved Bindweed.
Feb.		290	<i>Amaryllis lutea</i> Yellow Amaryllis.
		291	<i>Capparis spinosa</i> The Caper-Shrub.
March	98	292	<i>Passerina grandiflora</i> Great-flowered Passerina.
		293	<i>Catananche cærulea</i> Blue Catananche.
		294	<i>Amaryllis farniensis</i> Guernsey Lily.
April	99	295	<i>Agrostemma Cœli Rosa</i> Smooth-leaved Cockle, or Rose-Campion.
		296	<i>Sempervivum tortuosum</i> Gouty House-leek.
		297	<i>Dianthus superbus</i> Superb Pink.
May	100	298	<i>Origanum Dictamnus</i> Dittany of Crete.
		299	<i>Hermannia Alnifolia</i> Alder-leaved Hermannia.
		300	<i>Gnaphalium eximium</i> Giant Cudweed.
June	101	301	<i>Melianthus minor</i> Small Honey-flower.
		302	<i>Mimosa myrtifolia</i> Myrtle-leaved Mimosa.
		303	<i>Erica ampullacea</i> Flask-flowered Heath.
July	102	304	<i>Hermannia lavandulifolia</i> Lavender-leaved Hermannia.
		305	<i>Amaryllis equestris</i> Barbadoes Lily.
			Linnaeus doubtless called this plant <i>equestris</i> , from the resemblance which the flower bears to the star of some orders of knighthood.

ENUMERATION.

31

Vol.	Fasc.	No.	
IX.	102	306	<i>Othonna pectinata</i> Wormwood-leaved Othonna.
August	103	307	<i>Hermannia Althæifolia</i> Marsh-mallow-leaved Hermannia.
		308	<i>Verbena Aubletia</i> Rose Vervain.
		309	<i>Pelargonium echinatum</i> Prickly-stalked Geranium.
Sept.	104	310	<i>Erinus alpinus</i> Alpine Erinus.
		311	<i>Robinia hispida</i> Rose Acacia.
		312	<i>Linum flavum</i> Yellow Flax.
Oct.	105	313	<i>Daphne Cneorum</i> Trailing Daphne.
		314	<i>Genista triquetra</i> Triangular-stalked Broom.
		315	<i>Pelargonium Ceratophyllum</i> . Horn-leaved Crane's-bill.
Nov.	106	316	<i>Polygala Chamæ-buxus</i> Box-leaved Milk-wort.
		317	<i>Ononis fruticosa</i> Shrubby Rest-Harrow.
		318	<i>Anthericum Liliastrum</i> Savoy Anthericum, or St. Bruno's Lily.
Dec.	107	319	<i>Anagallis Monelli</i> Italian Pimpernel.
		320	<i>Lobelia Cardinalis</i> Scarlet Lobelia, or Cardinal's-flower.
Jan.	108	321	<i>Cotyledon orbiculata</i> Round-leaved Navel-wort.
1796.		322	<i>Manulea tomentosa</i> Woolly Manulea.
		323	<i>Rubus odoratus</i> Flowering Raspberry.
X.	109	324	<i>Antirrhinum triphyllum</i> Three-leaved Toad-flax.
Feb.		325	<i>Justitia nasuta</i> Dichotomous Justitia. Vahl. Enum. p. 144.
		326	<i>Mesembryanthemum viridiflorum</i> } Green-flower'd Fig-Marigold.
March	110	327	<i>Chrysanthemum indicum</i> Indian Chrysanthemum.
		328	<i>Trifolium incarnatum</i> Crimson Trefoil.
		329	<i>Ononis Natrix</i> Yellow-flowered Rest-Harrow.
		330	<i>Sida cristata</i> Crested Sida.
April	111	331	<i>Kalmia angustifolia</i> Narrow-leaved Kalmia.
		332	<i>Œnothera fruticosa</i> Shrubby Œnothera.
		333	<i>Cerinthe major</i> Great Honey-wort.
May	112	334	<i>Hypericum monogynum</i> Chinese St. John's-wort.
		335	<i>Ononis rotundifolia</i> Round-leaved Rest-Harrow.
		336	<i>Lotus hirsutus</i> Hairy Bird's-foot-trefoil.
June	113	337	<i>Prunella grandiflora</i> Great-flowered Self-heal.
		338	<i>Allamanda cathartica</i> Willow-leaved Allamanda.
		339	<i>Arum trilobatum</i> Three-lobed Arum.
July	114	340	<i>Polygala Heisteria</i> Heath-leaved Milk-wort.
		341	<i>Scilla amoena</i> Byzantine Squil.
		342	<i>Erica persoluta</i> Blush-flowered Heath.
August	115	343	<i>Gladiolus Cunonia</i> Cunonia Corn-flag. [<i>Antholyza Cunonia</i> .] Vide <i>Annals of Botany</i> , v. 1. p. 230.
		344	This plant and <i>Gladiolus quadrangularis</i> in the singular form of their flowers, approach very near <i>Antholyza</i> ; but the structure of the seeds is entirely that of <i>Gladiolus</i> , as is also the bulb. Vide <i>Gärtner. Sem.</i> v. 1. p. 31. t. 11. f. 4.
		345	<i>Aspalathus pedunculata</i> Small-leaved Aspalathus.
Sept.	116	346	<i>Polygala bracteolata</i> Spear-leaved Milk-wort.
		347	<i>Protea mellifera</i> Honey-bearing Protea.
		348	<i>Œnothera rosea</i> Rose-coloured Œnothera.
			<i>Calceolaria Fothergillii</i> Fothergill's Slipper-wort.
			Vahl. Enum. 173.

ENUMERATION.

Vol.	Fasc.	No.	
X.	117	349	<i>Solanum laciniatum</i>Cut-leaved Nightshade.
Oct.		350	<i>Erica ventricosa</i>Porcelain Heath.
		351	<i>Saxifraga mutata</i>Saffron-coloured Saxifrage.
Nov.	118	352	<i>Œnothera purpurea</i>Purple Œnothera.
		353	<i>Mahernia incisa</i>Cut-leaved Mahernia.
Dec.	119	354	<i>Mimulus aurantiacus</i>Orange Monkey-flower.
		355	<i>Œnothera pumila</i>Dwarf Œnothera.
		356	<i>Erica Maffoni</i>Masson's Heath.
		357	<i>Briza maxima</i>Great Quaking-grass.
Jan.	120	358	<i>Erica baccans</i>Arbutus-flowered Heath.
1797.		359	<i>Convolvulus althæoides</i>Silky-leaved Convolvulus.
		360	<i>Hibiscus speciosus</i>Superb Hibiscus.
Feb.	121	361	<i>Lycium japonicum</i>Japanese Boxthorn.
XI.		362	<i>Serissa foetida</i> . <i>Willd. Sp. Pl.</i> 2, p. 1561.
		363	<i>Erica retorta</i>Recurved Heath.
March	122	364	<i>Rosa lutea</i>Austrian Rose.
		365	<i>Vitex Negundo</i>Five-leaved Chaste-tree.
		366	<i>Œnothera longiflora</i>Long-flowered Œnothera.
April	123	367	<i>Erica pyramidalis</i>Pyramidal Heath.
		368	<i>Verbena triphylla</i>Three-leaved Vervain.
		369	<i>Antirrhinum viscosum</i>Clammy Toad-flax.
May	124	370	<i>Amaryllis undulata</i>Waved-flowered Amaryllis.
		371	<i>Houstonia cærulea</i>Blue-flowered Houstonia.
		372	<i>Mirabilis Jalapa</i>Common Marvel of Peru.
June	125	373	<i>Zygophyllum insuave</i>Unpleasant Bean-Caper.
		374	<i>Iris Chinensis</i>Chinese Flag.
		375	<i>Iris fimbriata</i> . <i>Ventenat Hort. Cels.</i> t. 9.
		376	<i>Cyrilla pulchella</i>Scarlet-flowered Cyrilla.
July	126	377	<i>Astragalus Monspessulanus</i>Montpelier Milk-vetch.
		378	<i>Salvia formosa</i>Shining-leaved Sage.
		379	<i>Salvia Leonuroides</i> . <i>Vahl Enum.</i> 236.
August	127	380	<i>Erodium romanum</i>Roman Crane's-bill.
		381	<i>Roella ciliata</i>Prickly Roella.
		382	<i>Narcissus tenuior</i>Slender Narcissus.
		383	<i>Dolichos lignosus</i>Purple Dolichos.
		384	<i>Sparaxis tricolor</i>Three-coloured Sparaxis.
Sept.	128	385	[<i>Ixia tricolor</i> .] Vide No. 779, and Annals of Botany,
		386	vol. 1, p. 225.
		387	<i>Silene ornata</i>Dark-coloured Catch-fly.
		388	<i>Tritonia securigera</i>Hatchet-flowered Tritonia.
Oct.	129	389	[<i>Gladiolus securiger</i> .] Vide Nos. 581 & 609; also, Annals
		390	of Botany, vol. 1, p. 227.
		391	<i>Crassula cotyledon</i>Tree Crassula.
		392	<i>Monsonia lobata</i>Broad leaved Monsonia.
		393	<i>Ranunculus parnassifolius</i>Parnassia-leaved Crowfoot.
Nov.	130	394	<i>Epidendrum aloides</i>Aloe-leaved Epidendrum.
		395	<i>Gaura mutabilis</i>Changeable Gaura.
		396	[<i>Œnothera anomala</i> .] <i>Willd. Sp. Pl.</i> 2, p. 312. <i>Cavan. Icon. Rar.</i> 3, p. 30, t. 258.
		397	<i>Gaura biennis</i>Biennial Gaura.
		398	<i>Magnolia purpurea</i>Purple Magnolia.
		399	<i>Magnolia discolor</i> . <i>Ventenat Hort. Malmaison</i> , t. 24.
Dec.	131	400	<i>Philadelphus coronarius</i>Common Syringa, or Mock-Orange.
		401	<i>Primula longifolia</i>Long-leaved Primrose.
		402	<i>Brunsfelsia americana</i>American Brunsfelsia.

ENUMERATION.

33

<i>Vol.</i>	<i>Fasc.</i>	<i>No.</i>	
XI.	132	394	<i>Lychnis alpina</i> Alpine Lychnis.
Jan.		395	<i>Salvia indica</i> Indian Sage.
1798.		396	<i>Vahl Enum.</i> 262. <i>Mesembryanthemum spec-</i> tabile..... } Shewy Fig-Marigold.
XII.	133	397	<i>Campanula persicifolia</i> , v. } Greatest-flowered Peach-leaved <i>maxima</i> } Bell-flower.
Feb.		398	<i>Agrostemma Flos Jovis</i> Umbelled Rose-Campion.
March	134	399	<i>Primula cortusoides</i> Cortusa-leaved Primula.
		400	<i>Lavandula dentata</i> Tooth-leaved Lavender.
		401	<i>Lavandula pinnata</i> Pinnated Lavender.
April	135	402	<i>Erica vestita</i> , var. <i>coccinea</i> ... Red-flowered tremulous Heath
		403	<i>Linum africanum</i> African Flax.
		404	<i>Campanula mollis</i> Soft Bell-flower.
May	136	405	<i>Lagerstrœmia indica</i> Indian Lagerstrœmia.
		406	<i>Cineraria cruenta</i> Purple-leaved Cineraria.
		407	<i>Rosa provincialis</i> , var..... Pompone Rose.
		408	<i>Calendula Tragus</i> Bending-stalked Marigold.
June	137	409	<i>Amaryllis aurea</i> Golden Amaryllis.
		410	<i>Babiana rubro-cyanea</i> Red-blue Babiana. [<i>Ixia rubro-cyanea</i> .]
		411	<i>Phlox subulata</i> Awl-leaved Lychnidea.
July	138	412	<i>Iris cristata</i> Crested Iris.
		413	<i>Pelargonium ternatum</i> Ternate Crane's-bill.
		414	<i>Xeranthemum fulgidum</i> Great Yellow-flowered Xe- ranthemum.
August	139	415	<i>Phlox setacea</i> Fine-leaved Lychnidea.
		416	<i>Marica martinicensis</i> Martinico Marica. [<i>Iris martinicensis</i> .]
		417	<i>Hemimeris urticæfolia</i> Nettle-leaved Hemimeris.
		418	[<i>Celsia urticæfolia</i> .] Vide No. 210. <i>Watsonia Meriana</i> Merian's Watsonia. [<i>Antholyza Meriana</i> .]
			For the Generic Character of Watsonia, consult No. 537 and 553; also, Annals of Botany, vol. 1. p. 229.
		419	<i>Alyssum montanum</i> Mountain Alyssum or Madwort
		420	<i>Xeranthemum canescens</i> Elegant Xeranthemum.
Oct.	141	421	<i>Centaurea aurea</i> Golden Knap-weed.
		422	<i>Grewia occidentalis</i> Elm-leaved Grewia.
		423	<i>Erica articularis</i> Articular Heath.
Nov.	142	424	<i>Saxifraga rotundifolia</i> Round-leaved Saxifrage.
		425	<i>Xeranthemum sesamoides</i> Superb Xeranthemum.
		426	<i>Cytisus foliosus</i> Leafy Cytisus.
Dec.	143	427	<i>Hippocrepis balearica</i> Shrubby Horse-shoe-vetch.
		428	<i>Daphne collina</i> Mountain Daphne.
		429	<i>Erica Aitonii</i> Aiton's Heath.
Jan.	144	430	<i>Justicia Peruviana</i> Peruvian Justicia. <i>J. furcata</i> . Vahl Enum. 147.
1799.		431	<i>Linum quadrifolium</i> Four-leaved Flax.
		432	<i>Justicia coccinea</i> Scarlet-flowered Justicia. Vahl Enum. 121.
XIII.	145	433	<i>Azalea pontica</i> Yellow Azalea.
Feb.		434	<i>Oxybaphus viscosus</i> Viscid Umbrella-wort.
		435	<i>Gnaphalium ericoides</i> Heath-leaved Gnaphalium.
March	146	436	<i>Hibiscus præmorsus</i> Round-leav'd. shrubby Hibiscus
		437	<i>Hydrangea arborescens</i> Shrubby Hydrangea.

ENUMERATION.

Vol.	Fasc.	No.	
XIII.	146	438	<i>Hydrangea hortensis</i> Garden Hydrangea.
April	147	439	<i>Illicium floridanum</i> Red-flowered Aniseed-tree.
		440	<i>Erica albens</i> Pallid Heath.
		441	<i>Watsonia aletroides</i> , α Dwarf Watsonia.
			[<i>Antholyza Merianella</i> .] See No. 533, and Annals of Botany, vol. 1. p. 230.
May	148	442	<i>Genista linifolia</i> Flax-leaved Broom.
		443	<i>Erica Physodes</i> Sticky-flowered Heath.
		444	<i>Canarina Campanula</i> Canary Bell-flower.
June	149	445	<i>Coronilla Emerus</i> Scorpion Senna.
		446	<i>Pisoralea bracteata</i> Oval-spiked Pisoralea.
		447	<i>Erica empetrifolia</i> Crow-berry-leaved Heath.
July	150	448	<i>Mesembryanthemum micans</i> Glittering Fig-Marigold.
		449	<i>Dillenia speciosa</i> Shewy Dillenia.
			This is certainly not the <i>Dillenia speciosa</i> taken up by Linnæus from the <i>Hortus Malabaricus</i> of Rheede, as appears by Captain Hardwicke's drawing, published by Dr. Smith in the Exotic Botany, tab. 2, which admirably corresponds with the character in the <i>Genera Plantarum</i> in every part, except the fruit, tab. 3, which Rheede had not perhaps seen in a perfect state. The whole fructification of our plant is so totally different, that we cannot conceive it to belong to the same genus, though it appears to be a congener of all the other species, figured by Prof. Thunberg, in the first volume of the Transactions of the Linnæan Society.
		450	<i>Gladiolus Watsonius</i> Watson's Corn-flag.
			Vide No. 569.
August	151	451	<i>Blakea trinervia</i> Three-ribbed Blakea.
		452	<i>Cardamine trifolia</i> Three-leaved Cuckow-flower.
		453	<i>Amaryllis Reginæ</i> Mexican Lily.
Sept.	152	454	<i>Canna indica</i> Common Indian Reed.
		455	<i>Aloe retusa</i> Cushion Aloe.
		456	<i>Diosma ferratifolia</i> Saw-leaved Diosma.
Oct.	153	457	<i>Aloe plicatilis</i> Fan Aloe.
		458	<i>Aristea cyanea</i> Grass-leaved Aristea.
		459	<i>Convolvulus Cneorum</i> Silvery-leaved Bindweed.
Nov.	154	460	<i>Maurandya semperflorens</i> Climbing Maurandya.
		461	<i>Jasminum fruticans</i> , α Yellow Jasmine.
			Vahl Enum. 33.
		462	<i>Anthemis Pyrethrum</i> Pellitory of Spain.
Dec.	155	463	<i>Epidendrum ciliare</i> Fringed Epidendrum.
		464	<i>Sisyrinchium gramineum</i> Grass-leaved sisyrinchium.
		465	<i>Indigofera angustifolia</i> Narrow-leaved Indigo.
Jan.	156	466	<i>Calycanthus præcox</i> , α Japan Allspice.
1800.		467	<i>Dracocephalum virginianum</i> Virginian Dragon's-head.
		468	<i>Œnothera tetrapetala</i> White-flowered Œnothera.
XIV.	157	469	<i>Platylobium formosum</i> Large-flowered Flat-Pea.
Feb.		470	<i>Trillium erectum</i> Upright Trillium.
		471	<i>Erica mediterranea</i> Mediterranean Heath.
March	158	472	<i>Aloe persfoliata</i> , $v.$ <i>succotrina</i> Succotrine Aloe.
		473	<i>Plinia pedunculata</i> Pedunculated Plinia.
		474	<i>Rhodora canadensis</i> Canadian Rhodora.
April	159	475	<i>Pultenea stipularis</i> Scaly Pultenea.
		476	<i>Indigofera psoraloides</i> Long-spiked Indigo.
		477	<i>Pelargonium crassicaule</i> Thick-stalked Crane's-bill.

ENUMERATION.

35

Vol.	Fasc.	No.	
XIV.	160	478	<i>Phlomis Leonurus</i> Lion's-tail Phlomis.
May		479	<i>Geropogon glabrum</i> Smooth Geropogon, or Old-Man's-Beard.
June	161	480	<i>Erica pubescens</i> Downy-flowered Heath.
		481	<i>Erica hirtiflora</i> Rough-flowered Heath.
		482	<i>Crotalaria triflora</i> Three-flowered Crotalaria.
			<i>Rafnia triflora</i> . <i>Vent. Hort. Malmaison</i> , 48.
July	162	483	<i>Hebenstretia dentata</i> Toothed Hebenstretia.
		484	<i>Erica ciliaris</i> Ciliated Heath.
		485	<i>Bignonia radicans</i> Ash-leaved Trumpet-flower.
		486	<i>Syringa persica</i> Persian Lilac.
August	163	487	<i>Tritonia lineata</i> Pencilled Tritonia.
			[<i>Gladiolus lineatus</i> .] Vide N°. 581 & 609; also, Annals of Botany, vol. 1. p. 228.
		488	<i>Rhododendron Chamæcistus</i> . Thyme-leaved Rhododendron
Sept.	164	489	<i>Spiræa trifoliata</i> Three-leaved Spiræa.
		490	<i>Crotalaria juncea</i> Channel-stalked Crotalaria.
		491	<i>Gentiana verna</i> Vernal Gentian.
Okt.	165	492	<i>Polygala oppositifolia</i> Opposite-leaved Milk-wort.
		493	<i>Pelargonium reniforme</i> Kidney-leaved Crane's-bill.
		494	<i>Centaurea ragusina</i> Cretan Centaury.
		495	<i>Crassula coccinea</i> Scarlet-flowered Crassula.
Nov.	166	496	<i>Heliophila arabioides</i> Club-pointed Heliophila.
		497	<i>Quassia amara</i> Bitter Quassia.
		498	<i>Achillea tomentosa</i> Woolly Milfoil.
Dec.	167	499	<i>Allium Moly</i> Yellow Garlic or Moly.
		500	<i>Agapanthus umbellatus</i> African Blue Lily.
		501	<i>Veltheimia capensis</i> Waved-leaved Veltheimia.
			[<i>Aletris capensis</i> .]
			As Linnæus framed his character of Aletris from the North-American species <i>farinosa</i> , of which this is not a congener, it was necessary to rename this plant, which has been done by Gleditsch in the Acta Berolinensia, 1771; and this alteration has been since adopted by Jacquin and Willdenow: but as some of the plants, referred to in this genus by these authors, differed in their seed-vessels as much from this, as this from Aletris, we were not hasty to adopt this change till we should have an opportunity of examining the seed-vessels of the different species. This has been since done by our friend and coadjutor Gawler (now J. B. Ker-Pellenden, Esq.) and the incongruous species formed into a new genus under the name of Tritoma. Vide N°. 744, 758, & 764.
			Generic Character.— <i>Cor. tubulosa</i> 6-dentata. <i>Stam.</i> tubo inserta. <i>Caps.</i> membranacea trialata loculis monospermis. GLED.
Jan.	168	502	<i>Heliconia Psittacorum</i> Parrot-beaked Heliconia.
1801.		503	<i>Calycanthus floridus</i> Carolina allspice.
		504	<i>Geranium argenteum</i> Silver-leaved Crane's-bill.
XV.	169	505	<i>Dianella caerulea</i> Blue Dianella.
Feb.		506	<i>Stapelia lentiginosa</i> Freckled Stapelia.
			In some copies this plate is, by mistake, numbered 505.
			We have reason to think that, notwithstanding some deviation from Masson's figure and description, this is really his <i>Stapelia guttata</i> .
		507	<i>Sempervivum globiferum</i> Globular Houseleek.

ENUMERATION.

Vol. XV.	Fasc.	No.	
			Soon after the publication of this number, the Editor received a letter, accompanied with living plants, from Mr. Jonathan Wilson, at Congleton, for which he is much obliged. Mr. Wilson apprehends that the figure here given does not belong to the <i>Sedum "globulis decidentibus"</i> of Morison, commonly known by the name of Hen and Chicken; and upon further examination we find that in this he is certainly right. We are convinced that two distinct species have been confounded in the Species Plantarum. The plant here given may however retain its present name, as it appears to be the same with Jacquin's and Haller's, but differs from that of Schmidel and Morison. Mr. Wilson remarks, that in order to make the latter flower, which it is very shy of doing, it is necessary to clear away all the surrounding plants, leaving only one or two in the centre of the pot; and, upon making the experiment, we found it readily succeed.
March	170	508	<i>Chrysanthemum tricolor</i> Three-coloured Chrysanthemum.
		509	<i>Podalyria australis</i> Blue-flowered Podalyria. [<i>Sophora australis.</i>] <i>P. australis.</i> <i>Vent. Hort. Cels.</i> 56. For the generic character of Podalyria, vide No. 753.
April	171	510	<i>Convallaria bifolia</i> Least Solomon's-Seal.
		511	<i>Chironia Linoides</i> Flax-leaved Chironia.
		512	<i>Campanula pumila</i> Dwarf Bell-flower.
		513	<i>Aloe variegata</i> Partridge-breast Aloe.
May	172	514	<i>Lobelia bicolor</i> Spotted-flowered Lobelia. Although this plant will produce flowers, and even ripe fruit, in the same year that it is sown, yet it is not properly an annual, as the plant will survive the winter if protected from the frost.
		515	<i>Lithospermum orientale</i> Yellow Gromwell or Bugloss.
		516	<i>Sparmannia africana</i> African Sparmannia.
June	173	517	<i>Lavatera thuringiaca</i> Great-flowered Lavatera.
		518	<i>Pelargonium tomentosum</i> ... Penny-royal Crane's-bill.
		519	<i>Lilium philadelphicum</i> Philadelphian Lily.
		520	<i>Aristea spiralis</i> White-flowered Aristea. [<i>Moraea spiralis.</i>] Vide No. 605, and Annals of Botany, v. 1. p. 236.
July	174	521	<i>Orobus vernus</i> Early-flowering Bitter-Vetch.
		522	<i>Ixia patens</i> Crimson Ixia. <i>I. filiformis.</i> <i>Ventenat Hort. Cels.</i> 48.
		523	<i>Watsonia spicata</i> Hollow-leaved Watsonia. [<i>Ixia fistulosa.</i>] Vide No. 553, and Annals of Botany, vol. 1. p. 229.
		524	<i>Pelargonium pulchellum</i> Nonsuch Crane's-bill. At the time this number was published, the same plant appeared also in the Botanist's Repository, under the name of <i>Pelargonium pictum</i> ; but, both in the figure and description, the most remarkable character of the winged footstalks is entirely omitted.
August	175	525	<i>Antirrhinum triornithopho-</i> } Three-bird-bearing Snap- rum } Dragon. 526 <i>Cornus florida</i> Great-flowered Cornel.
		527	<i>Zinnia elegans</i> Violet-coloured Zinnia.
		528	<i>Phlox ovata</i> Ovate-leaved Lychnidea.

ENUMERATION.

37

Vol.	Fasc.	No.	
XV.	176	529	<i>Melastoma malabathrica</i> Cinnamon-leaved Melastoma, or Black Strawberry-tree.
Sept.		530	<i>Atragene alpina</i> , v. <i>austriaca</i> . Austrian Virgin's-bower.
		531	<i>Iris tuberosa</i> Snake's-head Flag. Vide Annals of Botany, vol. 1. p. 242.
		532	<i>Tigridia Pavonia</i> Mexican Tiger-flower. [<i>Ferraria Tigridia</i> .] Vide Annals of Botany, vol. 1. p. 246.
Oct.	177	533	<i>Watsonia aletroides</i> Aletris-like Watsonia.
		534	<i>Aristolochia Sipho</i> Broad-leaved Birthwort.
		535	<i>Viola palmata</i> Palmated Violet.
Nov.	178	536	<i>Stapelia Asterias</i> Star-fish Stapelia.
		537	<i>Watsonia roseo-alba</i> Long-tubed Watsonia.
		538	<i>Gladiolus undulatus</i> , v. β Waved-flowered Corn-Flag.
		539	<i>Ixia conica</i> Orange-coloured Ixia.
		540	<i>Mesembryanthemum pome-</i> } Great Yellow-flowered Fig- <i>ridianum</i> } Marigold.
Dec.	179	541	<i>Sparaxis grandiflora</i> Velvet-flowered Sparaxis. [<i>Ixia grandiflora</i> .] For the generic character of Sparaxis, consult No. 779, and Annals of Botany, v. 1. p. 225.
		542	<i>Ixia scillaris</i> , v. <i>latifolia</i> (α). Squil-flowered Ixia.
		543	<i>Epidendrum cucullatum</i> Hooded Epidendrum.
		544	<i>Arctotis anthemoides</i> Chamomile Arctotis.
Jan.	180	545	<i>Sparaxis bulbifera</i> Sulphur-coloured Sparaxis. [<i>Ixia bulbifera</i> .] For the generic character of Sparaxis, see above, No. 541.
1802.		546	<i>Monarda didyma</i> Scarlet Monarda, or Oswego- Vahl Enum. 219. Tea. In the last paragraph an error occurs with regard to the origin of its trivial name, which should have been derived from the <i>twin-like</i> anthers, there being only one pair, the shorter filaments having none.
		547	<i>Pelargonium quinatum</i> Five-fingered Crane's-bill.
		548	<i>Sparaxis bicolor</i> Ringent Sparaxis. [<i>Ixia bicolor</i> .] For a more perfect generic character, consult No. 779.
XVI.	181	549	<i>Ixia maculata</i> , v. <i>viridis</i> (γ) Green-stained Ixia. In section 7 of the Synopsis Ixiæ, for effusis os tubi usque vel ultra, read effusis, os tubi usque vel ultra excisis.
Feb.		550	<i>Samyda rosea</i> Rose-coloured Samyda.
		551	<i>Campanula azurea</i> Azure Campanula.
		552	<i>Nymphæa cœrulea</i> Blue Water-Lily. N. cœrulea. Jard. de Malmais. t. 6. Nymphæa flore cœruleo odoratissimo Capitis Bonæ Spei. Breyne.
March	182	553	<i>Watsonia plantaginea</i> Small-flowered Watsonia.
		554	<i>Massonia ensifolia</i> Trumpet-flowered Massonia.
		555	<i>Zinnia tenuiflora</i> Slender-flowered Zinnia.
		556	<i>Gladiolus versicolor</i> , var. } Small changeable Corn-flag. tenuior (γ). }
April	183	557	<i>Trifolium spadiceum</i> Bay-coloured Trefoil.
		558	<i>Melanthium junceum</i> Rush-leaved Melanthium.
		559	<i>Massonia muricata</i> Prickly-leaved Massonia.

ENUMERATION.

Vol.	Fasc.	No.	
XVI.	183	560	<i>Robinia glutinosa</i> Clammy Robinia.
			<i>Robinia viscosa</i> . Ventenat Hort. Cels. t. 4.
May	184	561	<i>Antholyza æthiopica</i> Flag-leaved Antholyza.
		562	<i>Gladiolus gracilis</i> Slender Corn-flag.
		563	<i>Phlox stolonifera</i> Creeping Lychnidea. <i>Phlox (reptans) reptanti-stolonifera</i> , pubescens; caulis fertilibus erectis, simplicibus, oligophyllis; foliis radicalibus et stolonis obovalibus; caulinis ovali-lanceolatis: corymbulo paucifloro. <i>Michaux Flor. Bor. Am.</i> 1. p. 145.
June	185	564	<i>Cacalia coccinea</i> Scarlet-flowered Cacalia.
		565	<i>Clematis Viticella</i> Purple Virgin's-Bower.
		566	<i>Hesperantha falcata</i> Sickle-leaved Hesperantha. [<i>Ixia falcata</i> .]
			<i>Gen. Character.</i> — <i>Spatha</i> 2-valvis, herbacea, majuscula, ovali-lanceolata, naviculari-convoluta. <i>Cor.</i> tubus sursum paulatim ampliatus, limbus sexpartitus, regularis, ferme æqualis. <i>Stigmata</i> 3, longa, effusa, ad tubum usque distincta. <i>Cal.</i> oblonga, obtuse trigona, torulosa, membranacea. <i>Sem.</i> numerosa, fere subbaccata, rugosa atque rotundis angulata.
			<i>Obs.</i> Bulbo-tuber campaniforme indusiis amictum putaminis, modo coriaceo-lentis, modo ligneo-duris, quandoque osseis atque jugis verticalibus angulatim percursis. Flores vespere explicare, mane iterum se claudere cœperunt, inverso coordinatorum more, quas persequuntur vices in spatum plurimorum dierum. <i>Stigmata</i> longiora, gracillima, linearia, canaliculata, laxa atque effuse projecta. <i>Antheræ</i> grandiores, leviter appictæ, interdum tremulo incumbentes et versatiles. <i>Semina</i> e minoribus. Folia haud raro plano fistulosa, inde speciem exhibentia crassam; nunquam vero videntur teretia. <i>Gawler</i> , in Annals of Botany, v. 1. p. 224.
			To this genus Mr. Ker-Bellenden, late Gawler, has referred the night-flowering species of <i>Ixia</i> , so much esteemed for their fragrance, viz. <i>Ixia virginea</i> . <i>Herb. Banks.</i> <i>Ixia radiata</i> , <i>Bot. Mag.</i> t. 573. <i>Ixia cinnamomea</i> , <i>Thunb. Diff.</i> <i>Ixia angusta</i> , <i>Jacq. Ic. rar.</i> 2. t. 279. <i>Ixia pilosa</i> , <i>Thunb. Diff.</i> p. 8. besides the present plant.
		567	<i>Gladiolus quadrangularis</i> Quadrangular Corn-flag.
			The English name of square leaved having been before applied to <i>Gladiolus tristis</i> , ought not to have been repeated here.
July	186	568	<i>Cyanella capensis</i> Purple-flowered Cyanella.
		569	<i>Gladiolus Watsonius</i> (<i>var. β</i>) Dwarf Watson's Corn-flag.
		570	<i>Ixia capillaris</i> (<i>var. γ</i>) gra- } Slender <i>Ixia</i> .
			cillima
		571	<i>Moræa villosa</i> Hairy Moræa.
			[<i>Iris villosa</i> .] <i>Gen. Char.</i> vide 593, 613, and 695; also, Annals of Botany, v. 1. p. 238.
August	187	572	<i>Epidendrum cochleatum</i> Purple-flowered Epidendrum.
		573	<i>Hesperantha radiata</i> Nodding-flowered Hesper-
			[<i>Ixia radiata</i> .] Vide supra 566. antha.
		574	<i>Gladiolus hirsutus</i> (<i>var. δ</i>) Rose-coloured hairy Corn-
			roseus
			} flag.
			Vide infra, No. 727.
		575	<i>Tsichonema cruciatum</i> Channel-leaved Trichonema,

Vol.	Fasc.	No.	
XVI.	187	576	Babiana plicata Sweet-scented Babiana. In the generic character, for <i>Sem. pauca</i> , <i>angulata</i> , read <i>Sem. plura</i> , <i>baccata</i> , <i>corrugata</i> , <i>lucida</i> ; and near the end of Obs. after <i>pubescens</i> , add <i>Sem. rotunda vel turbinata mutua</i> <i>pressione varie angulata</i> ; <i>integumentum medium pulposum, molle,</i> <i>purpureo-roseum</i> . See Annals of Botany, vol. 1. p. 253.
		577	Moræa tristis Dull-coloured Moræa. [<i>Iris tristis</i> .] Vide Nos. 593, 613, and 695; also Annals of Botany, v. 1. p. 238.
		578	Gladiolus recurvus Violet-scented Corn-flag.
		579	Pelargonium pinnatum Pinnated Crane's-bill.
		580	Erica glauca Glaucous Heath.
Sept.	188	581	Tritonia squalida Sweet-scented Tritonia.
		582	Gladiolus cuspidatus Tall Corn-flag.
		583	Babiana villosa Crimson Babiana.
		584	Geissorhiza excisa Dwarf Geissorhiza. [<i>Ixia excisa</i> .] Vide 672 and Annals of Botany, v. 1. p. 223. N. B. This is rather a dubious species.
		585	Stapelia grandiflora Great-flowered Stapelia.
		586	Gladiolus alatus Wing-flowered Corn-flag.
		587	Moræa viscaria Bird-limed Moræa. [<i>Iris viscaria</i> .] For some additions to this article, see 696, and for the generic character of Moræa consult No. 593, 613, and 695; also Annals of Botany, v. 1. p. 238.
Oct.	189	588	Lachenalia quadricolor Four-coloured Lachenalia.
		589	Ixia aristata Salver-flowered Ixia.
		590	Lachenalia pendula Pendulous Lachenalia.
		591	Gladiolus carneus Flesh-coloured Corn-flag. G. cuspidatus. <i>Redouté Liliac.</i> 36.
		592	Gladiolus namaquensis Thick-leaved Corn-flag.
		593	Moræa unguiculata Long-clawed Moræa. In the 2d page, line 15, for "in not being bearded," read in having the tube of the stamens equal to the unguis.
		594	Ixia crateroides Bowl-shaped Ixia. The English name of crimson has been before applied to <i>Ixia patens</i> , No. 522.
		595	Lapeyrouzia corymbosa Level-topped Lapeyrouzia.
		596	Cratæva fragrans Sweet-scented Cratæva.
XVII.	190	597	Geissorhiza secunda One-ranked Geissorhiza. [<i>Ixia secunda</i> .] Vide No. 672, and Annals of Botany, v. 1. p. 223.
Nov.		598	Geissorhiza rochensis (α) Plaid Geissorhiza.
		599	Ixia crispa Curled-leaved Ixia.
		600	Watsonia iridifolia (<i>var. β</i>) } Scarlet flag-leaved Watsonia. fulgens }
		601	Watsonia brevifolia Short-leaved Watsonia.
		602	Gladiolus angustus Narrow-leaved Corn-flag.
		603	Pothos canariolia Sweet-scented Pothos.
		604	Jatropha panduræfolia Fiddle-leaved Jatropha.
Dec.	191	605	Aristea capitata Tallest Aristea.
		606	Anomatheca juncea Cut-leaved Anomatheca. [<i>Lapeyrouzia juncea</i> .] Gen. Char. <i>Spatha</i> 2-valvis, pu- filla, herbacea. Cor. hypocateriformis; tubus fauci recto- continuus, anguste turbinatus; laciniae subirregularis, spa- thulato-obovatæ. Stigma 3, gracilia, 2-partitæ. Caps.

ENUMERATION.

Vol.	Fasc.	No.	
XVII.	191		ovato-rotunda, papilloso-pruinata. Semina bene multa, rotunda. Oss. Bulbo-tuber ovatum, e majoribus, indusio stupacio vel laxius fibroso-textili obductum. Caulis ramosus, saepius multiflorus. Folia plura subundulata, rugosulo-adducta, intus deorsum insigniter excisa; e terra obliquatim enascentia, diutius subhumifuse inclinata, demum erectiuscula. Antheræ erectæ accumbentes, parallelæ. Papillosæ capsulae scabritie a reliquis coordinatis facillime dignoscenda.—GAWLER, in Annals of Botany, v. 1. p. 227. Differs from all the known plants of this order in its anomalous rough frosted capsule, whence its name. This plant is figured by Jacquin in Hort. Schoenb. v. 4, under the name of <i>Gladiolus excisus</i> .
	607		<i>Ixia monadelpha</i> Monadelphous Ixia.
	608		<i>Galaxia ixiaeflora</i> . Redoutè Liliac. 41. <i>Watsonia marginata</i> Long-spiked Watsonia.
	609		<i>Tritonia miniata</i> Late-flowering Tritonia.
	610		<i>Gladiolus floribundus</i> Large-flowered Corn-flag.
	611		<i>Epidendrum elongatum</i> Long-stalked Epidendrum.
	612		<i>Erica metulæflora</i> Nine-pin-flowered Heath.
Jan.	192	613	<i>Moræa edulis</i> Long-leaved Moræa.
1803.		614	<i>Wachendorfia hirsuta</i> Hairy Wachendorfia.
		615	<i>Melaspheæula graminea</i> Grass-leaved Melaspheæula.
		616	<i>Diana viridiflora</i> . Redoutè Liliac. 54. <i>Wachendorfia paniculata</i> Panicked Wachendorfia.
		617	<i>Ixia capillaris</i> , var. β . stricta. Wire-stemmed Ixia. — v. δ . incarnata. Flesh-coloured Ixia.
		618	<i>Tritonia capensis</i> Long-tubed Tritonia.
		619	<i>Stapelia radiata</i> Starry Stapelia.
		620	<i>Pterospermum acerifolium</i> Maple-leaved Pterospermum.
Feb.	193	621	<i>Babiana stricta</i> Upright Babiana.
		622	<i>Tritonia deusta</i> Copper-coloured Tritonia.
		623	<i>Ixia erecta</i> Upright Ixia.
		624	<i>Ixia flexuosa</i> Flexuose Ixia.
		625	<i>Gladiolus blandus</i> , α . car. } Fairest Corn-flag. neo-albescens. } Babiana diasticha Hyacinth-scented Babiana.
		626	<i>Cistus algarvensis</i> Algarve Cistus.
		627	<i>Petræa volubilis</i> Twining Petrea.
March	194	629	<i>Ixia polystachia</i> Lily of the Valley-scented Ixia.
		630	<i>Ixia columellaris</i> Variegated Ixia.
		631	<i>Watsonia humilis</i> Lake-coloured Watsonia.
		632	<i>Gladiolus Milleri</i> Miller's Corn-flag.
		633	<i>Cassia corymbosa</i> Corymbous Cassia.
		634	<i>Punica nana</i> Dwarf Pomegranate-tree.
		635	<i>Scutellaria grandiflora</i> Large-flowered Scutellaria.
		636	<i>Rhododendrum dauricum</i> Dotted-leaved Rhododendron.
April	195	637	<i>Babiana stricta</i> , α Dark blue-flowered upright Babiana.
		638	<i>Babiana spathacea</i> Stiff-leaved Babiana.
		639	<i>Gentiana ciliata</i> Fringed-flowered Gentian.
		640	<i>Lonicera implexa</i> Minorca Honeysuckle.
		641	<i>Melanthium eucomoides</i> Dwarf Melanthium.
		642	<i>Massonia pustulata</i> Shagreen-leaved Massonia.
			We strongly suspect this to be the <i>Massonia echinata</i> of

ENUMERATION.

41

<i>Vol.</i>	<i>Fasc.</i>	<i>No.</i>	
XVII.	195		Thunberg, but the absence of the glandular hair from the summit of each tubercle prevents our being certain; but perhaps this may be caused by change of climate or cultivation. <i>G.</i>
		643	<i>Lachenalia lanceæfolia</i> Spotted Copperas-leaved Lachenalia.
		644	<i>Lobelia coronopifolia</i> Bucks-horn Lobelia.
XVIII.	196	645	<i>Gladiolus blandus</i> , <i>var. γ.</i> Pale-purple Corn-flag.
May		646	<i>Marica paludosa</i> Marsh Marica.
		647	<i>Gladiolus undulatus</i> , <i>var. α.</i> Waved-flowered Corn-flag.
		648	<i>Gladiolus blandus</i> , <i>var. β.</i> Snow-white Corn flag.
		649	<i>Protea cordata</i> Heart-leaved Protea.
		650	<i>Rhododendron ponticum</i> Purple Rhododendron.
		651	<i>Passiflora serratifolia</i> Notch-leaved Passion-flower.
		652	<i>Crocus fuscianus</i> Cloth of gold Crocus.
June	197	653	<i>Ornithogalum revolutum</i> Revolute-flowered Star of Bethlehem.
		654	<i>Marica northiana</i> Broad-stemmed Northiana.
		655	<i>Marica plicata</i> Small-flowered Marica.
		656	<i>Statice speciosa</i> Plantain-leaved thrift.
		657	<i>Amaryllis reticulata</i> Netted-veined Amaryllis.
		658	<i>Menianthes indica</i> Indian Buck-bean.
		659	<i>Campanula sibirica</i> Siberian Bell-flower.
		660	<i>Lysimachia quadriflora</i> Four-flowered Loose-strife.
July	198	661	<i>Amaryllis longifolia</i> Long-leaved Amaryllis.
		662	<i>Hypoxis stellata</i> , <i>α.</i> Yellow-flowered Star-Hypoxis
		663	<i>Scilla italica</i> Italian Squil.
		664	<i>Fritillaria pyrenaica</i> , <i>α.</i> Pyrenean Fritillary.
		665	<i>Pforalea corylifolia</i> Hazel-leaved Pforalea.
		666	<i>Stachys coccinea</i> Scarlet Stachys.
		667	<i>Andromeda pulverulenta</i> Oval-leaved Andromeda.
		668	<i>Gordonia Lasianthus</i> Smooth Gordonia or Loblolly-Bay.
August	199	669	<i>Iris lurida</i> Dingy Flag. For HEXANDRIA read TRIANDRIA.
		670	<i>Iris germanica</i> German Flag.
		671	<i>Iris florentina</i> Florentine Flag.
		672	<i>Geissorhiza obtusata</i> Yellow-flowered Geissorhiza.
		673	<i>Nicotiana undulata</i> New-Holland Tobacco.
		674	<i>Protea Lepidocarpon</i> Black-flowered Protea.
		675	<i>Orobus varius</i> Particoloured Bitter Vetch.
		676	<i>Anthyllis Erinacea</i> Prickly Anthyllis or Kidney Vetch.
Sept.	200	677	<i>Silene vespertina</i> Morocco Catchfly.
		678	<i>Tritonia crispa</i> Curled-leaved Tritonia.
		679	<i>Iris lusitanica</i> Portuguese Flag.
		680	<i>Babiana tubiflora</i> , <i>var. β.</i> Long-tubed Babiana.
			<i>Gladiolus inclinatus</i> . <i>Red. Liliac.</i> 44.
		681	<i>Iris graeinea</i> Grae's-leaved Flag.
		682	<i>Iris arboreus</i> Tree Lupin.
		683	<i>Spartium monospermum</i> White single-seeded Broom.
		684	<i>Nymphaea advena</i> Three-coloured Water-Lily.
		685	<i>Iris pallida</i> Pale Flag.
		686	<i>Iris Xiphium</i> Spanish Flag.
		687	<i>Iris Xiphoides</i> Pyrenean Flag.
Oct.	201	688	<i>Gladiolus viperatus</i> Perfumed Corn-flag.

ENUMERATION.

Vol.	Fasc.	No.	
XVIII.	201	689	<i>Silene saxatilis</i> Stone Catch-fly.
		690	<i>Gardenia Rothmannia</i> Spotted-flowered Gardenia.
		691	<i>Campanula gracilis</i> Siender Bell-flower.
		692	<i>Pyrus Japonica</i> Japan Apple-tree. By the latter-end of the summer 1804, this plant had grown to the height of two feet and was beset with short spines; side branches horizontal, short, and frequent.
XIX.	202	693	<i>Moræa iridioides</i> Perennial-leaved Moræa.
Nov.		694	<i>Melanthium spicatum</i> Star-flowered Melanthium.
		695	<i>Moræa flexuosa</i> Flexuose Moræa.
		696	<i>Moræa tricuspis, var. a.</i> Trident-petaled Moræa.
		697	<i>Protea anemonifolia</i> Fork-leaved Protea.
		698	<i>Protea scolymus</i> Small smooth-leaved Protea.
		699	<i>Convolvulus cairicus</i> Egyptian Bindweed.
		700	<i>Betonica grandiflora</i> Great-flowered Betony.
Dec.	203	701	<i>Marica striata</i> Streaked-flowered Marica.
		702	<i>Moræa tripetala</i> Three-petal-like Moræa.
		703	<i>Iris virginica</i> Virginian Flag.
		704	<i>Tritonia fenestrata</i> Open-flowered Tritonia.
		705	<i>Gentiana adscendens, var. a.</i> Upright Porcelain-flowered Gentian.
		706	<i>Erica longifolia, var. carnea.</i> Flesh-coloured long-leaved Heath.
		707	<i>Chironia decussata</i> Cross-leaved Chironia.
		708	<i>Hedychium coronarium</i> Sweet-scented Garland-flower
Jan.	204	709	<i>Hypoxis ferrata</i> Saw-leaved Hypoxis.
1804.		710	<i>Hypoxis erecta</i> Upright Hypoxis.
		711	<i>Hypoxis sobolifera</i> Creeping Hypoxis.
		712	<i>Moræa longiflora</i> Long-flowered Moræa.
		713	<i>Draba pyrenaica</i> Mountain Whitlow-grafts.
		714	<i>Valeriana sibirica</i> Siberian Valerian.
		715	<i>Bauera rubioides</i> Madder-leaved Bauera.
		716	<i>Atragene capensis</i> Cape Atragene.
Feb.	205	717	<i>Tulipa Breyniana</i> Cape Tulip.
		718	<i>Pancratium illyricum</i> Illyrian Pancratium.
		719	<i>Gladiolus segetum</i> Round-seeded Corn-flag.
		720	<i>Albuca minor</i> Lesser Albuca.
		721	<i>Hillia longiflora</i> Long-tubed Hillia.
		722	<i>Trichosanthes anguina</i> Snake-Gourd.
		723	<i>Gentiana adscendens, var. β.</i> Dwarf Porcelain-flowered Gentian.
March	206	724	<i>Stapelia revoluta</i> Revolute-flowered Stapelia.
		725	<i>Amaryllis curvifolia</i> Glaucous-leaved Amaryllis.
		726	<i>Amaryllis humilis</i> Divaricate-petaled Amaryllis.
		727	<i>Gladiolus hirsutus, β.</i> Variegated shaggy Corn-flag.
		728	<i>Ornithogalum arabicum</i> Large-flowered Star of Bethlehem
		729	<i>Cheiranthus tristis</i> Dark-flowered Stock.
		730	<i>Hesperiis tristis</i> Night-scenting Rocket.
		731	<i>Nolana prostrata</i> Trailing Nolana.
		732	<i>Convolvulus sepium, β. americanus</i> } American Great Bindweed.
April	207	733	<i>Amaryllis Belladonna, α.</i> Belladonna Lily.
		734	<i>Muscari moschatum</i> Mask Grape-Hyacinth.
		735	<i>Lachenalia angustifolia</i> Narrow-leaved Lachenalia.
		736	<i>Massonia angustifolia</i> Sweet-scented Massonia.
		737	<i>Cerbera Ahouai</i> Oval-leaved Cerbera.


ENUMERATION.

43

Vol.	Fasc.	No.	
XIX.	207	738	<i>Bankfia Ericæfolia</i> Heath-leaved Banksia.
		739	<i>Sansevieria sessiliflora</i> Chinese Sansevieria.
XX.	208	740	<i>Tagetes lucida</i> Sweet-scented Tagetes or Chili Marigold.
May		741	<i>Lobelia gracilis</i> Slender-stemmed Lobelia.
		742	<i>Indigofera cytisoides</i> Angular-stalked Indigo.
		743	<i>Androsace villosa</i> Hairy Androsace.
		744	<i>Tritoma media</i> Glaucous-leaved Tritoma.
		745	<i>Lachenalia purpuro-cærulea</i> Purple-blue Lachenalia.
		746	<i>Scilla bifolia</i> Two-leaved Squil.
		747	<i>Helonias bullata</i> Spear-leaved Helonias.
		748	<i>Helonias asphodeloides</i> Gras-leaved Helonias.
		749	<i>Scilla peruviana</i> Corymbose Squil.
		750	<i>Moræa papilionacea</i> Dwarf Moræa.
		751	<i>Ferraria antherosa</i> Green variegated Ferraria.
			To the Synonyms add— <i>MORÆA Ferrariola</i> . Jacq. Col. 4. p. 141. <i>Hort. Schoenb.</i> v. 4. inedit.
			FERRARIA Ferrariola . Willd. Sp. Pl. 3. 581.
			This being a real FERRARIA, we think <i>Antherosa</i> a better trivial name than <i>Ferrariola</i> , which was adopted by Jacquin under the idea of this plant being a MORÆA with the appearance of a FERRARIA. G.
June	209	752	<i>Ipomæa Bona nox</i> Prickly Ipomæa.
		753	<i>Podalyria biflora</i> Two-flowered Podalyria.
		754	<i>Galax aphylla</i> Carolina Galax.
		755	<i>Pergularia minor</i> West-coast Creeper.
		756	<i>Alöe arachnoides</i> Spider-footed-leaved Aloe.
		757	<i>Alöe humilis</i> Soft-spined Aloe.
		758	<i>Tritoma uvaria</i> Serrulate-leaved Tritoma.
		759	<i>Moræa crispa</i> Short-spathed Moræa.
		760	<i>Persoonia linearis</i> Linear-leaved Persoonia.
		761	<i>Pelargonium incrassatum</i> Fleshy-leaved Crane's-bill.
		762	<i>Dahlia coccinea</i> Scarlet-flowered Dahlia.
		763	<i>Xeranthemum sesamoides</i> , γ. Straw-coloured Xeranthemum
		764	<i>Tritoma pumila</i> Lesser Tritoma.
			Like the <i>Allium descendens</i> , the flowers of this species of <i>Tritoma</i> always open first at the upper part in the reverse order of the rest of the genus.
July	210	765	<i>Alöe maculata</i> Spotted Aloe.
		766	<i>Lachenalia unifolia</i> One-leaved Lachenalia.
		767	<i>Melanthium uniflorum</i> Yellow Melanthium.
		768	<i>Othonna pinnata</i> Pinnated Othonna or African Ragwort.
August	211	769	<i>Lagunæa Paterfonia</i> Norfolk Island Lagunæa.
		770	<i>Protea cynaroides</i> Artichoke-flowered Protea.
		771	<i>Moræa ramosa</i> Branching Moræa.
		772	<i>Moræa tricuspis</i> , ν. γ. lutea. Yellow Trident-petaled Moræa.
		773	<i>Asphodelus luteus</i> Yellow Asphodel or Kingspear
		774	<i>Allium ciliatum</i> Hairy leaved Garlic.
		775	<i>Knowltonia vesicatoria</i> Blistering Knowltonia.
		776	<i>Xeranthemum variegatum</i> Brown-tipped Xeranthemum.
		777	<i>Epidendrum undulatum</i> Spread-Eagle Epidendrum.
		778	<i>Pyrola umbellata</i> Umbelled Winter-Green.
		779	<i>Sparaxis grandiflora</i> , var. β. Streaked flowered Sparaxis.
		780	<i>Sarracenia flava</i> Yellow Side-saddle-flower.

ENUMERATION.

<i>Vol.</i>	<i>Fasc.</i>	<i>No.</i>	
XX.	213	781	<i>Lonicera sempervirens</i> Great Trumpet-Honeysuckle.
		782	<i>Campanula capensis</i> Cape Campanula or Bell-flower.
			Add the following Synonym.— <i>Roella decurrens</i> . Bot. Repof. 238, which was overlooked at the time; but the <i>Roella decurrens</i> of L'Heritier is quite a different plant, nor does this agree better with the genus <i>Roella</i> than with that of <i>Campanula</i> , though it has somewhat more of the habit of the former than of the latter. It is however certainly the <i>Campanula capensis</i> of Linnæus.
		783	<i>Philydrum lanuginosum</i> Woolly Philydrum.
		784	<i>Ophioxylum serpentinum</i> ... Three-leaved Ophioxylum.
		785	<i>Dionaea Muscipula</i> Venus's Fly trap.
		786	<i>Stapelia verrucosa</i> Warty-flowered Stapelia,





SYSTEMATICAL INDEX.

In which the Plants contained in the first *Twenty Volumes* of the
BOTANICAL MAGAZINE are arranged according to the System
of LINNÆUS.

Clas I. MONANDRIA.

MONOGYNIA.

- CANNA indica.
Hedychium coronarium.
Philydrum lanuginosum.
Lopezia racemosa.

DIGYNIA.

- Blitum virgatum.

Cl. II. DIANDRIA.

MONOGYNIA.

- Jasminum officinale.
— fruticans.
— odoratissimum.
Syringa vulgaris.
— persica.
Veronica decussata.
Justicia coccinea.
— nasuta.
— peruviana.
Calceolaria pinnata.
— Fothergilli.
Verbena aubletia.
— triphylla.
Monarda fistulosa.
— didyma.
Salvia indica.
— formosa.
— aurea.

Cl. III. TRIANDRIA.

MONOGYNIA.

- Valeriana sibirica.
Oxybaphus viscosus.

- Crocus mæfiacus.
— fusianus.
Trichonema roseum.
— cruciatum.
Geissorhiza rochensis.
— secunda.
— obtusata.
— excisa.
Sparaxis tricolor.
— bicolor.
— grandiflora.
— bulbifera.
Hesperantha radiata.
— falcata.
Ixia capillaris.
— v. gracillima.
— v. incarnata.
— v. stricta.
— aristata.
— patens.
— flexuosa.
— hybrida.
— conica.
— monadelpha.
— columellaris.
— maculata, v. viridis.
— erecta.
— crateroides.
— polystachia.
— scillaris, v. latifolia.
— crispa.
Anomatheca juncea.
Tritonia crispa.
— capensis.
— longiflora.
— lineata.
— securigera.
— squalida.
— fenestrata.
— crocata.
— deusta,

SYSTEMATICAL INDEX.

- T — miniata.
Watsonia marginata.
 — brevifolia.
 — aletroides, α .
 — — β .
 — roseo-alba.
 — humilis.
 — Meriana.
 — iridifolia.
Gladiolus cunonia.
 — *Watsonius*, v. α .
 — — v. β .
 — quadrangularis.
 — namaquensis.
 — alatus.
 — viperatus.
 — vericolor.
 — tristis.
 — carinatus.
 — gracilis.
 — hirsutus, α .
 — — β .
 — carneus.
 — cupidatus.
 — blandus, v. α .
 — — v. β .
 — — v. γ .
 — angustus.
 — undulatus, α .
 — — β .
 — floribundus.
 — Milleri.
 — cardinalis.
 — communis.
 — segetum.
 — recurvus.
Melaphærula graminea.
Antholyza æthiopica.
Babiana tubiflora.
 — spathacea.
 — stricta, v. α .
 — — v. β .
 — rubro-cyanea.
 — villosa.
 — disticha.
 — plicata.
Wachendorfia hirsuta.
 — — paniculata.
Aristea cyanea.
 — capitata.
 — spiralis.
Lapeyrouisia corymbosa.
Moræa flexuosa.
 — tripetala.
 — tricuspis, α . β . α . γ .
 — villosa.
 — unguiculata.

- M — viscaria.
 — — iridioides.
 — longiflora.
 — edulis.
 — tristis.
 — crispa.
Iris ochroleuca.
 — sibirica.
 — spuria.
 — virginica.
 — vericolor.
 — crista.
 — chinensis.
 — graminea.
 — pumila.
 — variegata.
 — lurida.
 — sambucina.
 — — — — — v. *squalens*.
 — germanica.
 — florentina.
 — pallida.
 — fusiana.
Marica Northiana.
 — martinicensis.
 — paludosa.
 — plicata.
 — striata.
Sisyrinchium Bermudiana.
 — — — — — graminea.
Pardanthus chinensis.

DIGYNIA.

Briza maxima.

Cl. IV. TETRANDRIA.

MONOGYNIA.

- Protea anemonifolia.*
 — Lepidocarpon.
 — scolymus.
 — mellifera.
 — cynaroides.
 — cordata.
Persoonia linearis.
Bankia ericæfolia.
Scabiosa atro-purpurea.
Houstonia cærulea.
Catesbæa spinosa.
Ixora coccinea.
Buddlea globosa.
Cornus florida.
Struthiola erecta.

SYSTEMATICAL INDEX.

47

Cl. V. PENTANDRIA.

MONOGYNIA.

- Heliotropium peruvianum.*
- Lithospermum orientale.*
- Cynoglossum omphalodes.*
- Pulmonaria virginica.*
- Cerinthe major.*
- Nolana prostrata.*
- Androsace villosa.*
- Primula acaulis, v. plena.*
- *cortusoides.*
- *villosa.*
- *marginata.*
- *longifolia.*
- Soldanella alpina.*
- Dodecatheon Meadia.*
- Cyclamen coum.*
- *persicum.*
- Menyanthes indica.*
- Lysimachia stricta.*
- *quadriflora.*
- Anagallis Monelli.*
- Spigelia marilandica.*
- Azalea pontica.*
- *nudiflora, v. coccinea.*
- Plumbago rosea.*
- Phlox ovata.*
- *stolonifera.*
- *divaricata.*
- *subulata.*
- *setacea.*
- Convolvulus sepium, v. β. americanus.*
- *Nil.*
- *cairicum.*
- *purpureus.*
- *althæoides.*
- *Cneorum.*
- *linearis.*
- *tricolor.*
- Ipomæa Quamoclit.*
- *coccinea.*
- *Bona nox.*
- Campanula gracilis.*
- *grandiflora.*
- *pumila.*
- *carpatica.*
- *perficiifolia, v. maxima.*
- *azurea.*
- *mollis.*
- *sibirica.*
- *aurea.*
- *speculum.*
- *capensis.*
- Roella ciliata.*
- Portlandia grandiflora.*

- Lobelia coronopifolia.*
- *cardinalis.*
- *surinamensis.*
- *gracilis.*
- *bicolor.*
- Goodenia tævigata.*
- Lonicera sempervirens.*
- *implexa.*
- Mirabilis Jalapa.*
- Verbascum Myconi.*
- Hyoscyamus aureus.*
- Nicotiana undulata.*
- Solanum laciniatum.*
- Serissa fœtida.*
- Chironia linoides.*
- *baccifera.*
- *trutevensis.*
- *decussata.*
- Cordia Sebestena.*
- Phylica ericoides.*
- Diosma uniflora.*
- *ferratifolia.*
- Viola palmata.*
- *pedata.*
- Heliconia Psittacorum.*
- Strelitzia Reginæ.*
- Cerbera Ahovai.*
- Gardenia Rothmannia.*
- Allamanda cathartica.*
- Vinca rosea.*
- Plumeria rubra.*

DIGYNIA.

- Pergularia minor.*
- Apocynum androsæmifolium.*
- Stapelia revoluta.*
- *grandiflora.*
- *Asterias.*
- *radiata.*
- *verrucosa.*
- *variegata.*
- *lentiginosa.*
- Gentiana adscendens, v. α.*
- *— — — — v. β.*
- *acaulis.*
- *verna.*
- *ciliata.*
- Galax aphylla.*

TRIGYNIA.

- Viburnum Tinus.*
- Turnera angustifolia.*

PENTAGYNIA.

- Statice reticulata.*

S— *speciosa.*
 — *sinuata.*
Linum *flavum.*
 — *arboreum.*
 — *africanum.*
 — *quadrifolium.*
Crassula *coccinea.*
 — *Cotyledon.*
Mahernia *pinnata.*
 — *incisa.*

Cl. VI. HEXANDRIA.**MONOGYNIA.**

Tradescantia *virginica.*
Massonia *ensifolia.*
 — *angustifolia.*
 — *muricata.*
 — *pustulata.*
Leucoium *vernus.*
Narcissus *Bulbocodium.*
 — *minor.*
 — *bicolor* [i.e. *major*.]
 — *incomparabilis.*
 — *odorus.*
 — *triandrus.*
 — *poeticus* [*angustifolius*.]
 — *biflorus.*
 — *tenuior.*
 — *Jonquilla.*
Pancratium *illyricum.*
Agapanthus *umbellatus.*
Cyrtanthus *angustifolius.*
Amaryllis *lutea.*
 — *Atamasco.*
 — *formosissima.*
 — *Reginæ.*
 — *equestris.*
 — *reticulata.*
 — *Belladonna.*
 — *vittata.*
 — *longifolia.*
 — *curvifolia.*
 — *farniensis.*
 — *undulata.*
Bulbocodium *vernus.*
Allium *ciliatum.*
 — *descendens.*
 — *Moly.*
Lilium *candidum.*
 — *bulbiferum.*
 — *chalcedonicum.*
 — *Catesbaei.*
 — *philadelphicum.*
Fritillaria *Imperialis.*
 — *pyrenaica.*

Erythronium *Dens canis.*
Tulipa *breyniana.*
Albuca *minor.*
Hypoxis *erecta.*
 — *sobolifera.*
 — *stellata.*
 — *ferrata.*
Ornithogalum *revolutum.*
 — *arabicum.*
 — *aureum.*
 — *nutans.*
Scilla *italica.*
 — *peruviana.*
 — *amæna.*
 — *campanulata.*
 — *bifolia.*
Cyanella *capensis.*
Asphodelus *luteus.*
Anthericum *Liliastrum.*
Dianella *cærulea.*
Convallaria *bifolia.*
Sansevieria *sessiliflora.*
Muscari *botryoides.*
 — *comosum.*
 — *moschatum.*
 — *racemosum.*
Lachenalia *angustifolia.*
 — *quadricolor.*
 — *unifolia.*
 — *purpuro-cærulea.*
 — *tricolor.*
 — *pendula.*
 — *lanceæfolia.*
Veltheimia *capensis.*
Tritoma *Uvaria.*
 — *humilis.*
 — *media.*
Alöe *perfoliata*, v. *succotrina.*
 — *humilis.*
 — *arachnoides.*
 — *maculata.*
 — *disticha.*
 — *plicatilis.*
 — *variegata.*
 — *retusa.*
Alstroemeria *Pelegrina.*
 — *Ligtu.*
Hemerocallis *flava.*
 — *fulva.*
Hillia *longiflora.*
Canarina *Campanula.*
Melanthium *uniflorum.*
 — *eucomoides.*
 — *junceum.*
 — *viride.*
 — *spicatum.*
Trillium *erectum.*

SYSTEMATICAL INDEX.

49

- T** —— *sessile*.
- Helonias bullata*.
- *Asphodeloides*.

Cl. VII. HEPTANDRIA.

MONOGYNIA.

- Disandra prostrata*.

Cl. VIII. OCTANDRIA.

MONOGYNIA.

- Tropæolum minus*.
- *majus*.
- Oenothera longiflora*.
- *rosea*.
- *fruticosa*.
- *pumila*.
- *purpurea*.
- *tetraptera*.
- Gaura biennis*.
- *mutabilis*.
- Epilobium angustissimum*.
- Fuchsia coccinea*.
- Michauxia campanuloides*.
- Erica articularis*,
- *pubescens*.
- *hirtiflora*.
- *persoluta*.
- *empetrifolia*.
- *baccans*.
- *physodes*.
- *glauca*.
- *albens*.
- *ciliaris*.
- *herbacea*.
- *longifolia*, v. *carnea*.
- *vestita*, v. *coccinea*.
- *grandiflora*.
- *cerinthoides*.
- *metulæflora*.
- *Massoni*.
- *ventricosa*.
- *retorta*.
- *ampullacea*.
- *Aitonia*.
- *pyramidalis*.
- *mediterranea*.
- Daphne Cneorum*.
- *collina*.
- Gnidia simplex*.

TRIGYNIA.

- Polygonum orientale*.

Cl. X. DECANDRIA.

MONOGYNIA.

- Sophora tetraptera*.
- Podalyria australis*.
- *biflora*.
- Pultenæa stipularis*.
- Cassia corymbosa*.
- *chamæcrista*.
- Zygophyllum insuave*.
- Quassia amara*.
- Dionæa muscipula*.
- Dais cotinifolia*.
- Melastoma malabathrica*.
- Kalmia latifolia*.
- *angustifolia*.
- *glauca*.
- *hirsuta*.
- Rhodora canadensis*.
- Rhododendron dauricum*.
- *ponticum*.
- *Chamæcistus*.
- Andromeda pulverulenta*.
- Pyrola umbellata*.
- Samyda rosea*.

DIGYNIA.

- Hydrangea arborescens*.
- *hortensis*.
- Saxifraga mutata*.
- *crassifolia*.
- *farmentosa*.
- *rotundifolia*.
- Saponaria ocymoides*.
- Dianthus barbatus*.
- *caryophyllus*.
- *chinensis*.
- *superbus*.

TRIGYNIA.

- Silene vespertina*,
- *pendula*.
- *ornata*.
- *faxatilis*.
- Malpighia glabra*.

PENTAGYNIA.

- Cotyledon orbiculata*.
- Sedum Anacampseros*.
- *populifolium*.
- Oxalis cernua*.
- *versicolor*.
- Agrostemma coronaria*.
- *Flos Jovis*.

A—*Cœli Rosa.*
Lychnis chalcedonica.
 —*coronata.*
 —*alpina.*

Cl. XI. DODECANDRIA.

MONOGYNIA.

Blakea trinervia.
Cratæva fragrans.

TRIGYNIA.

Reseda odorata.

DODECAGYNIA.

Sempervivum globiferum.
 —*tortuosum.*
 —*arachnoideum.*
 —*monanthes.*

Cl. XII. ICOSANDRIA.

MONOGYNIA.

Cactus flagelliformis.
Philadelphus coronarius.
Metrosideros lanceolata.
Myrtus tomentosa.
Punica nana.
Amygdalus nana.
Plinia pedunculata.

PENTAGYNIA.

Pyrus spectabilis.
 —*japonica.*
Mesembryanthemum pinnatifidum.
 —*dolabriforme.*
 —*pomeridianum.*
 —*viridiflorum.*
 —*bicolorum.*
 —*micans.*
 —*barbatum.*
 —*aureum.*
 —*spectabile.*
Spiræa trifoliata.

POLYGYNIA.

Rosa lutea.
 —*muscosa.*
 —*provincialis, v.*
 —*semperflorens.*
Rubus odoratus.
 —*arcticus.*
Fragaria monophylla.

Potentilla grandiflora.
Calycanthus floridus.
 —*præcox.*

Cl. XIII. POLYANDRIA.

MONOGYNIA.

Capparis spinosa.
Sanguinaria canadensis.
Papaver orientale.
Argemone mexicana.
Sarracenia flava.
Nymphaea advena.
 —*cærulea.*
Spermannia africana.
Grewia occidentalis.
Lagerstrœmia indica.
Gordonia Lafianthus.
Cistus Jadaniferus.
 —*algarvensis.*
 —*incanus.*
 —*formosus.*

DIGYNIA.

Bauera rubioides.

PENTAGYNIA.

Aquilegia canadensis.
Nigella damascena.

POLYGYNIA.

Dillenia —
Illicium floridanum.
Liriodendron Tulipifera.
Magnolia purpurea.
Anemone Hepatica.
 —*hortensis.*
 —*sylvestris.*
Atragene capensis.
 —*alpina, v. austriaca.*
Clematis Viticella.
 —*integrifolia.*
Adonis vernalis.
Knowltonia vesicatoria.
Ranunculus parnassifolius.
 —*amplexicanlis.*
 —*gramineus.*
 —*aconitifolius, v. plenus.*
 —*acris, v. plenus.*
Trollius asiaticus.
Helleborus hyemalis.
 —*niger.*
 —*lividus.*

SYSTEMATICAL INDEX.

51

Cl. XIV. DIDYNAMIA.

GYMNOSPERMIA.

- Teucrium latifolium.*
- Lavendula dentata.*
- *pinnata.*
- Lamium orvala.*
- Betonica grandiflora.*
- Stachys coccinea.*
- Phlomis Leonurus.*
- Melissa grandiflora.*
- Dracocephalum virginianum.*
- *denticulatum.*
- Scutellaria grandiflora.*
- Prunella grandiflora.*

ANGIOSPERMIA.

- Cyrilla pulchella.*
- Antirrhinum triphyllum.*
- *triornithophorum.*
- *purpureum.*
- *sparteum.*
- *triste.*
- *viscosum.*
- *alpinum.*
- Maurandya semperflorens.*
- Brunsfelsia americana.*
- Hemimeris urticifolia.*
- *linearis.*
- Bignonia radicans.*
- Lantana aculeata.*
- Petrea volubilis.*
- Selago ovata.*
- Manulea tomentosa.*
- Hebenstretia dentata.*
- Buchnera viscosa.*
- Browallia elata.*
- Erenius alpinus.*
- Mimulus ringens.*
- *glutinosus.*
- Vitex Negundo.*
- Melianthus minor.*

Cl. XV. TETRADYNAMIA.

SILICULOSA.

- Draba aizoides.*
- *pyrenaica.*
- Iferis gibraltarica.*
- *umbellata.*
- Alyssum maritimum.*
- *saxatile.*
- *montanum.*
- *utriculatum.*

- A* — *deltoides.*
- Arabis alpina.*

SILIQUOSA.

- Cardamine trifolia.*
- Cheiranthus mutabilis.*
- *maritimus.*
- *tristis.*
- Heliophila arabioides.*
- Hesperis tristis.*

Cl. XVI. MONADELPHIA.

PENTANDRIA.

- Hermannia althaeifolia.*
- *alnifolia.*
- *Lavandulæfolia.*
- Erodium romanum.*
- *incarnatum.*
- *Chamædryoides.*

HEPTANDRIA.

- Pelargonium incrassatum.*
- *pulchellum.*
- *pinnatum.*
- *tomentosum.*
- *lanceolatum.*
- *betulinum.*
- *acetosum.*
- *tetragonum.*
- *crassicaule.*
- *peltatum.*
- *cernifolium.*
- *echinatum.*
- *glutinosum.*
- *tricolor.*
- *Radula.*
- *bicolor.*
- *ternatum.*
- *quinatum.*
- *reniforme.*
- *ceratophyllum.*

DECANDRIA.

- Geranium anemonifolium.*
- *striatum.*
- *angulatum.*
- *argenteum.*

POLYANDRIA.

- Sida crista.*
- Lavatera thuringiaca.*
- *trimestris.*

SYSTEMATICAL INDEX.

Hibiscus Rosa sinensis.
 ——— *syriacus.*
 ——— *speciosus.*
 ——— *præmorsus.*
 ——— *Trionum.*
Lagunæa Patersonia.
Camellia japonica.

Cl. XVII. DIADELPHIA.

HEXANDRIA.

Fumaria cava.
 ——— *folida.*
 ——— *glauca.*

OCTANDRIA.

Polygala bracteolata.
 ——— *oppositifolia.*
 ——— *Chamæbuxus.*
 ——— *Heisteria.*

DECANDRIA.

Borbonia crenata.
Platylobium formosum.
Spartium junceum.
 ——— *monospermum.*
Genista linifolia.
 ——— *triquetra.*
Aspalathus pedunculata.
Crotalaria juncea.
 ——— *triflora.*
Ononis Natrix.
 ——— *fruticosa.*
 ——— *rotundifolia.*
Anthyllis tetraphylla.
 ——— *Erinacea.*
Lupinus perennis.
 ——— *arboreus.*
 ——— *luteus.*
Dolichos lignosus.
Glycine bimaculata.
 ——— *coccinea.*
 ——— *rubicunda.*
Orobus vernas.
 ——— *varius.*
Lathyrus sativus.
 ——— *articulatus.*
 ——— *odoratus.*
 ——— *tingitanus.*
 ——— *tuberofus.*
Citifus Laburnum.
 ——— *foliolosus.*
 ——— *fessilifolius.*
Robinia glutinosa.
Colutea arborescens.

C—— fruticans;
Coronilla Emerus.
 ——— *Valentina.*
 ——— *glauca.*
 ——— *varia.*
Hippocrepis balearica.
Hedysarum obscurum.
Indigofera psoraloides.
 ——— *candicans.*
 ——— *cytisoides.*
 ——— *angustifolia.*
Astragalus monspessulanus.
Pisoralea bracteata.
 ——— *corylifolia.*
Trifolium incarnatum.
 ——— *spadiceum.*
Lotus tetragonolobus.
 ——— *jacobæus.*
 ——— *hirsutus.*
Medicago arborea.

Cl. XVIII. POLYADELPHIA.

DODECANDRIA.

Monsonia speciosa.
 ——— *lobata.*

POLYANDRIA.

Hypericum balearicum.
 ——— *monogynum.*
 ——— *calycinum.*
 ——— *Ceris.*

Cl. XIX. SYNGENESIA.

POLYGAMIA AQUALIS.

Geropogon glabrum.
Scorzonera tingitana.
Crepis barbata.
Catananche cærulea.
Cacalia coccinea.

POLYGAMIA SUPERFLUA.

Tanacetum flabelliforme.
Gnaphalium eximum.
 ——— *ericoides.*
Xeranthemum fulgidum.
 ——— *canescens.*
 ——— *sesamoides.*
 ——— *v. sulphurea.*
 ——— *variegata.*
Tussilago alpina.
Senecio elegans.

- Aster tenellus.
 —— alpinus.
 Cineraria amelloides.
 —— lanata.
 —— cruenta.
 Bellis perennis, v. *plena*.
 Tagetes patula.
 —— lucida.
 Zinnia multiflora.
 —— elegans.
 —— tenuiflora.
 Chrysanthemum indicum.
 —— tricolor.
 Anthemis Pyrethrum.
 Achillea tomentosa.

POLYGAMIA FRUSTI-ANEAE.

- Helianthus multiflorus.
 Rudbeckia purpurea.
 Coreopsis verticillata.
 Gorteria rigens.
 Centaurea montana.
 —— rugifina.
 —— glastifolia.
 —— aurea.

POLYGAMIA NECESSARIA.

- Calendula Tragus.
 Arctotis anthemoides.
 Othonna pectinata.
 —— pinnata.
 Dahlia coccinea.

Cl. XX. GYNANDRIA.**DIANDRIA.**

- Simodorum tuberosum.
 Cypripedium acaule.
 —— album.
 Epidendrum ciliare.
 —— cucullatum.

- cochleatum.
 —— fragrans.
 —— aloides.
 —— elongatum.
 —— undulatum.

TRIANDRIA.

- Sisyrinchium Bermudiana.
 —— gramineum.
 Ferraria undulata.
 —— antherosa.
 Tigridia Pavonia.

PENTANDRIA.

- Passiflora ferratifolia.
 —— alata.
 —— ciliata.
 —— cærulea.
 Aristolochia Siphon.

POLYANDRIA.

- Arum trilobatum.
 Calla æthiopica.
 Pothos cannæfolia.

Cl. XXI. MONŒCIA.**MONADELPHIA.**

- Jatropha panduræfolia.

SYNGENESIA.

- Trichosanthes anguina.

Cl. XXIII. POLYGAMIA.**MONŒCIA.**

- Ophioxylum serpentinum.
 Mimosa verticillata.
 —— myrtifolia.

